




Application Assessment Panel

Tuesday 12 November 2024
3.00pm

Minutes



Application Assessment Panel Minutes

Tuesday 12 November 2024

Table of Contents

Item	Subject	Pages
D1	Confirmation of Minutes of Meeting held on 5 November 2024	4
D2	DA121/2024/1 - 4 & 6 Fisher Avenue & 27 Vaocluse Road, Vaocluse	4

Application Assessment Panel

Minutes of the Meeting held on 12 November 2024 at 10.00am.

Present: Scott Pedder (Director – Planning & Place) (Chair)
 Tom O’Hanlon (Director – Infrastructure & Sustainability)
 Kristy Welfare (Team Leader Heritage)

Staff: David Booth (Senior Assessment Officer)
 Carolyn Nurmi (Governance Officer)

Also in Attendance: Nil

1. Opening

The Chair declared the Application Assessment Panel Meeting of 12 November 2024 open and welcomed Panel members, staff and members of the public who are watching and listening to this meeting.

2. Acknowledgement of Country (Gadigal People and Birrabirragal People)

The Chair read the following Acknowledgement of Country:

I would like to acknowledge that we are here today on the land of the Gadigal and Birrabirragal people, the traditional custodians of the land. On behalf of Woollahra Council, I acknowledge Aboriginal or Torres Strait Islander people attending today and I pay my respects to Elders past, present and emerging.

3. Leave of Absence and Apologies

Nil

4. Late Correspondence

Late correspondence was submitted to the Panel in relation to Item D2

5. Disclosures of Interest

Nil

Item No: D1 Delegated to Committee
Subject: **CONFIRMATION OF MINUTES OF MEETING HELD ON 5 NOVEMBER 2024**
Author: Sue O'Connor, Governance Officer
File No: 24/204026
Purpose of the Report: The Minutes of the Application Assessment Panel of 5 November 2024 were previously circulated. In accordance with the guidelines for Committees' operations it is now necessary that those Minutes be formally taken as read and confirmed.
Alignment to Delivery Program: Strategy 11.3: Ensure effective and efficient governance and risk management.

(Pedder/O'Hanlon)

Resolved:

THAT the Minutes of the Application Assessment Panel Meeting of 5 November 2024 be taken as read and confirmed.

ITEM No. D2
FILE No. DA121/2024/1
ADDRESS PROPOSAL 4 & 6 Fisher Avenue & 27 Vaucluse Road Vaucluse
Demolition of 3 dwelling houses and ancillary structures at 4 & 6 Fisher Avenue & 27 Vaucluse Road Vaucluse, the amalgamation of 4 & 6 Fisher Avenue and a portion of 27 Vaucluse Road to form 4-6 Fisher Avenue, the construction of a dwelling house and swimming pool and landscaping works.

Note: Late correspondence was tabled by K & L Gates.

Note: Paul Lalich, Objector and George Karavanas, Consultant Planner and Bruce Stafford, Applicant addressed the Panel.

Note: The Panel added new Conditions D.1 (h) and i) (D1 Modification of Details of the Development (section 4.17(1)(g) of the Act).

Reasons for Decision

The application has been assessed within the framework of the matters for consideration under section 4.15(1) of the Environmental Planning and Assessment Act 1979 and is recommended for approval because it is considered that:

- it is satisfactory with regard to all relevant planning policies including the provisions of WLEP 2014 and WDCP 2015 subject to conditions;
- it does not have the potential for significant adverse impacts upon the local built and natural environment including streetscape and residential amenity subject to conditions;
- it will not have any significant adverse social and economic impacts upon the locality;
- the site is suitable for the proposed development, as conditioned; and
- the proposal is not contrary to the public interest.

(O’Hanlon/Welfare)

Resolved: Pursuant to Section 4.16 of the Environmental Planning and Assessment Act 1979

THAT the Council, is satisfied that the matters required to be addressed under Clause 4.6(4) of the Woollahra Local Environmental Plan 2014 have been adequately demonstrated and that consent may be granted to the development application, which contravenes the height of buildings development standard prescribed under Clause 4.3 of Woollahra LEP 2014.

AND

THAT the Council, as the consent authority, grant development consent to Development Application No. 121/2024/1 for the demolition of 3 dwelling houses and ancillary structures at 4 & 6 Fisher Avenue & 27 Vauclose Road Vauclose, the amalgamation of 4 & 6 Fisher Avenue and a portion of 27 Vauclose Road to form 4-6 Fisher Avenue, the construction of a dwelling house and swimming pool and landscaping works thereto, subject to the following conditions:

A. GENERAL CONDITIONS

A.1 Conditions

A. 1.	Conditions
	<p>Consent is granted subject to the following conditions imposed under section 4.16 of the Environmental Planning and Assessment Act 1979 (“the Act”), and the provisions of the Environmental Planning and Assessment Regulation 2021 (“the Regulations”) and the provisions of the Environmental Planning and Assessment (Development Certification and Fire Safety) Regulation 2021 (“the Development Certification and Fire Safety Regulations”), such conditions being reasonable and relevant to the development as assessed under section 4.15 of the Act.</p>
	<p>Notes:</p> <ul style="list-style-type: none">• Failure to comply with this development consent and any condition of this consent is a criminal offence. Failure to comply with other environmental laws is also a criminal offence.• Where there is any breach Council may without any further warning:<ul style="list-style-type: none">a) Issue Penalty Infringement Notices (On-the-spot fines);b) Issue notices and orders;c) Prosecute any person breaching this consent; and/ord) Seek injunctions/orders before the courts to restrain and remedy any breach.• Maximum penalties under NSW environmental laws include fines up to \$1.1 Million and/or custodial sentences for serious offences.• Should Council have to take any action to enforced compliance with this consent or other environmental laws Council’s policy is to seek from the Court appropriate orders requiring the payments of its costs beyond any penalty or remedy the Court may order.• This consent and this specific advice will be tendered to the Court when seeking costs orders from the Court where Council is successful in any necessary enforcement action.• The payment of environmental penalty infringement notices does not result in any criminal offence being recorded. If a penalty infringement notice is challenged in Court and the person is found guilty of the offence by the Court, subject to section 10 of the Crimes (Sentencing Procedure) Act 1999, a criminal conviction is recorded. The effect of a criminal conviction beyond any fine is serious.
	<p>Condition Reason: To ensure all parties are aware of the relevant legislation that applies to the development.</p>

A. 2.	<p data-bbox="311 197 470 230">Definitions</p> <p data-bbox="311 271 1428 367">Unless specified otherwise, words have the same meaning as defined by the <i>Act</i>, the <i>Regulations</i>, the <i>Development Certification and Fire Safety Regulations</i> and the <i>Interpretation Act 1987</i> as in force at the date of consent.</p> <p data-bbox="311 405 938 439">Applicant means the applicant for this consent.</p> <p data-bbox="311 472 1428 539">Approved Plans mean the plans endorsed by Council referenced by this consent as amended by conditions of this consent.</p> <p data-bbox="311 573 1364 640">Local native plants means species of native plant endemic to Sydney's eastern suburbs.</p> <p data-bbox="311 674 1273 707">Owner-builder has the same meaning as in the <i>Home Building Act 1989</i>.</p> <p data-bbox="311 741 927 775">PC means the Principal Certifier under the <i>Act</i>.</p> <p data-bbox="311 808 1444 904">Principal Contractor has the same meaning as in the <i>Act</i>, or where a Principal Contractor has not been appointed by the Owner of the land being developed Principal Contractor means the Owner of the land being developed.</p> <p data-bbox="311 938 1125 972">Professional engineer has the same meaning as in the <i>BCA</i>.</p> <p data-bbox="311 1005 1294 1039">Public place has the same meaning as in the <i>Local Government Act 1993</i>.</p> <p data-bbox="311 1072 1038 1106">Road has the same meaning as in the <i>Roads Act 1993</i>.</p> <p data-bbox="311 1140 1428 1207">SEE means the final version of the Statement of Environmental Effects lodged by the Applicant.</p> <p data-bbox="311 1240 1109 1274">Site means the land being developed subject to this consent.</p> <p data-bbox="311 1308 1444 1442">Site work means any work that is physically carried out on the land to which the development the subject of this development consent is to be carried out, including but not limited to building work, subdivision work, demolition work, clearing of vegetation or remediation work.</p> <p data-bbox="311 1476 1182 1509">Woollahra LEP means <i>Woollahra Local Environmental Plan 2014</i></p> <p data-bbox="311 1543 1198 1576">Woollahra DCP means <i>Woollahra Development Control Plan 2015</i></p> <p data-bbox="311 1610 911 1644">Work for the purposes of this consent means:</p> <ul data-bbox="311 1655 1444 2069" style="list-style-type: none">• the use of land in connection with development,• the subdivision of land,• the erection of a building,• the carrying out of any work,• the use of any site crane, machine, article, material, or thing,• the storage of waste, materials, site crane, machine, article, material, or thing,• the demolition of a building,• the piling, piercing, cutting, boring, drilling, rock breaking, rock sawing or excavation of land,• the delivery to or removal from the <i>site</i> of any machine, article, material, or thing, or• the occupation of the <i>site</i> by any person unless authorised by an occupation certificate.
--------------	--

	Condition Reason: To ensure all parties are aware of the relevant definitions.																																																																												
A. 3.	Approved Plans and Supporting Documents																																																																												
	<p>Those with the benefit of this consent must carry out all work and maintain the use and works in accordance with both the architectural plans to which is affixed a Council stamp “Approved” and supporting documents listed below unless modified by any following condition.</p> <p>Where the plans relate to alterations or additions only those works shown in colour or highlighted are approved.</p> <table border="1" data-bbox="316 577 1422 1742"> <thead> <tr> <th>Reference</th> <th>Description</th> <th>Author</th> <th>Dates</th> </tr> </thead> <tbody> <tr> <td>DA000 Rev 3</td> <td rowspan="20">Architectural drawings</td> <td rowspan="20">Stafford Architecture</td> <td>21/10/2024</td> </tr> <tr> <td>DA101 Rev 3</td> <td>21/10/2024</td> </tr> <tr> <td>DA110 Rev 2</td> <td>15/10/2024</td> </tr> <tr> <td>DA120 Rev 2</td> <td>15/10/2024</td> </tr> <tr> <td>DA121 Rev 2</td> <td>21/10/2024</td> </tr> <tr> <td>DA124 Rev 2</td> <td>21/10/2024</td> </tr> <tr> <td>DA201 Rev 1</td> <td>15/10/2024</td> </tr> <tr> <td>DA202 Rev 2</td> <td>21/10/2024</td> </tr> <tr> <td>DA203 Rev 3</td> <td>21/10/2024</td> </tr> <tr> <td>DA204 Rev 3</td> <td>21/10/2024</td> </tr> <tr> <td>DA205 Rev 3</td> <td>21/10/2024</td> </tr> <tr> <td>DA302 Rev 3</td> <td>21/10/2024</td> </tr> <tr> <td>DA303 Rev 3</td> <td>21/10/2024</td> </tr> <tr> <td>DA305 Rev 1</td> <td>15/10/2024</td> </tr> <tr> <td>DA321 Rev 2</td> <td>21/10/2024</td> </tr> <tr> <td>DA322 Rev 1</td> <td>15/10/2024</td> </tr> <tr> <td>DA323 Rev 1</td> <td>15/10/2024</td> </tr> <tr> <td>DA331 Rev -</td> <td>04/04/2024</td> </tr> <tr> <td>DA332 Rev -</td> <td>04/04/2024</td> </tr> <tr> <td>19329-21 PS V1</td> <td>Plan of proposed subdivision</td> <td>Trent James Vella</td> <td>07/03/2024</td> </tr> <tr> <td>DA-00 Rev 01</td> <td rowspan="7">Landscape Plan</td> <td rowspan="7">Wyer & CO.</td> <td rowspan="7">28/03/2024</td> </tr> <tr> <td>DA-01 Rev 01</td> </tr> <tr> <td>DA-02 Rev 01</td> </tr> <tr> <td>DA-03 Rev 01</td> </tr> <tr> <td>DA-04 Rev 01</td> </tr> <tr> <td>DA-05 Rev 01</td> </tr> <tr> <td>DA-06 Rev 01</td> </tr> <tr> <td>AIA4-6Fis,27Vau/24</td> <td>Arboricultural Impact Assessment and Tree Protection Plan</td> <td>Lisa Durland – Green Spaces Consultancy</td> <td>04/04/2024</td> </tr> <tr> <td>Job No. 21/197, Revision B</td> <td>Stormwater Management Plan</td> <td>ITM Design</td> <td>03/04/2024</td> </tr> <tr> <td>19329-21 PS V1</td> <td>DRAFT Deposited Plan</td> <td>Trent James Vella</td> <td>7/03/2024</td> </tr> <tr> <td>34861PHrpt Rev3</td> <td>Geotechnical and Hydrogeological Investigation Report</td> <td>JK Geotechnics</td> <td>03/04/2024</td> </tr> </tbody> </table> <p>Notes:</p> <ul style="list-style-type: none"> Warning to Principal Certifier – You must always insist on sighting the original Council stamped approved plans. You must not rely solely upon the plan reference numbers in this condition. Should the Applicant not be able to provide you with the original copy Council will provide you with access to its files so you may review our original copy of the approved plans. These plans and supporting documentation may be subject to conditions imposed under section 4.17(1)(g) of the Act modifying or amending the development. 			Reference	Description	Author	Dates	DA000 Rev 3	Architectural drawings	Stafford Architecture	21/10/2024	DA101 Rev 3	21/10/2024	DA110 Rev 2	15/10/2024	DA120 Rev 2	15/10/2024	DA121 Rev 2	21/10/2024	DA124 Rev 2	21/10/2024	DA201 Rev 1	15/10/2024	DA202 Rev 2	21/10/2024	DA203 Rev 3	21/10/2024	DA204 Rev 3	21/10/2024	DA205 Rev 3	21/10/2024	DA302 Rev 3	21/10/2024	DA303 Rev 3	21/10/2024	DA305 Rev 1	15/10/2024	DA321 Rev 2	21/10/2024	DA322 Rev 1	15/10/2024	DA323 Rev 1	15/10/2024	DA331 Rev -	04/04/2024	DA332 Rev -	04/04/2024	19329-21 PS V1	Plan of proposed subdivision	Trent James Vella	07/03/2024	DA-00 Rev 01	Landscape Plan	Wyer & CO.	28/03/2024	DA-01 Rev 01	DA-02 Rev 01	DA-03 Rev 01	DA-04 Rev 01	DA-05 Rev 01	DA-06 Rev 01	AIA4-6Fis,27Vau/24	Arboricultural Impact Assessment and Tree Protection Plan	Lisa Durland – Green Spaces Consultancy	04/04/2024	Job No. 21/197, Revision B	Stormwater Management Plan	ITM Design	03/04/2024	19329-21 PS V1	DRAFT Deposited Plan	Trent James Vella	7/03/2024	34861PHrpt Rev3	Geotechnical and Hydrogeological Investigation Report	JK Geotechnics	03/04/2024
Reference	Description	Author	Dates																																																																										
DA000 Rev 3	Architectural drawings	Stafford Architecture	21/10/2024																																																																										
DA101 Rev 3			21/10/2024																																																																										
DA110 Rev 2			15/10/2024																																																																										
DA120 Rev 2			15/10/2024																																																																										
DA121 Rev 2			21/10/2024																																																																										
DA124 Rev 2			21/10/2024																																																																										
DA201 Rev 1			15/10/2024																																																																										
DA202 Rev 2			21/10/2024																																																																										
DA203 Rev 3			21/10/2024																																																																										
DA204 Rev 3			21/10/2024																																																																										
DA205 Rev 3			21/10/2024																																																																										
DA302 Rev 3			21/10/2024																																																																										
DA303 Rev 3			21/10/2024																																																																										
DA305 Rev 1			15/10/2024																																																																										
DA321 Rev 2			21/10/2024																																																																										
DA322 Rev 1			15/10/2024																																																																										
DA323 Rev 1			15/10/2024																																																																										
DA331 Rev -			04/04/2024																																																																										
DA332 Rev -			04/04/2024																																																																										
19329-21 PS V1			Plan of proposed subdivision	Trent James Vella	07/03/2024																																																																								
DA-00 Rev 01	Landscape Plan	Wyer & CO.	28/03/2024																																																																										
DA-01 Rev 01																																																																													
DA-02 Rev 01																																																																													
DA-03 Rev 01																																																																													
DA-04 Rev 01																																																																													
DA-05 Rev 01																																																																													
DA-06 Rev 01																																																																													
AIA4-6Fis,27Vau/24	Arboricultural Impact Assessment and Tree Protection Plan	Lisa Durland – Green Spaces Consultancy	04/04/2024																																																																										
Job No. 21/197, Revision B	Stormwater Management Plan	ITM Design	03/04/2024																																																																										
19329-21 PS V1	DRAFT Deposited Plan	Trent James Vella	7/03/2024																																																																										
34861PHrpt Rev3	Geotechnical and Hydrogeological Investigation Report	JK Geotechnics	03/04/2024																																																																										

	<p>Condition Reason: To ensure all parties are aware of the approved plans and supporting documentation that applies to the development.</p>																
A. 4.	<p>Ancillary Aspects of Development (section 4.17(2) of the Act)</p> <p>The Owner must procure the repair, replacement or rebuilding of all road pavement, kerb, gutter, footway, footpaths adjoining the site or damaged as a result of work under this consent or as a consequence of work under this consent. Such work must be undertaken to Council's satisfaction in accordance with Council's Specification for Roadworks, Drainage and Miscellaneous Works (2012) unless expressly provided otherwise by these conditions at the Owner's expense.</p> <p>Notes:</p> <ul style="list-style-type: none"> This condition does not affect the Principal Contractor's or any sub-contractors obligations to protect and preserve public infrastructure from damage or affect their liability for any damage that occurs. <p>Condition Reason: To ensure all parties are aware of works required to public infrastructure and to ensure payment for works.</p>																
A. 5.	<p>No Underpinning works</p> <p>This development consent does NOT give approval to any works outside the boundaries of the subject property including any underpinning works to any structures on adjoining properties.</p> <p>Condition Reason: To ensure all works are located within the boundaries of the site and to confirm that no consent is granted for underpinning works to any structures on adjoining properties.</p>																
A. 6.	<p>Tree Preservation and Landscaping Works</p> <p>While site work is being carried out, all landscape works must be undertaken in accordance with the approved landscape plan, arborist report, tree management plan and transplant method statement as applicable.</p> <p>a) The following trees must be retained:</p> <ul style="list-style-type: none"> Trees on private land: <table border="1"> <thead> <tr> <th>Council Ref No</th> <th>Species</th> <th>Location</th> <th>Dimension (metres)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td><i>Angophora costata</i> (Sydney Pink Gum)</td> <td>Front garden of 6 Fisher Avenue, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024</td> <td>15 x 18</td> </tr> <tr> <td>12</td> <td><i>Phoenix canariensis</i> (Canary Island Date palm)</td> <td>Rear garden of 27 Vaucluse Road, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024</td> <td>10 x 4</td> </tr> <tr> <td>25</td> <td><i>Camellia sasanqua</i> (Camellia)</td> <td>Southern side boundary of front garden of 27 Vaucluse Road, Vaucluse</td> <td>6 x 3.5</td> </tr> </tbody> </table>	Council Ref No	Species	Location	Dimension (metres)	1	<i>Angophora costata</i> (Sydney Pink Gum)	Front garden of 6 Fisher Avenue, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	15 x 18	12	<i>Phoenix canariensis</i> (Canary Island Date palm)	Rear garden of 27 Vaucluse Road, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	10 x 4	25	<i>Camellia sasanqua</i> (Camellia)	Southern side boundary of front garden of 27 Vaucluse Road, Vaucluse	6 x 3.5
Council Ref No	Species	Location	Dimension (metres)														
1	<i>Angophora costata</i> (Sydney Pink Gum)	Front garden of 6 Fisher Avenue, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	15 x 18														
12	<i>Phoenix canariensis</i> (Canary Island Date palm)	Rear garden of 27 Vaucluse Road, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	10 x 4														
25	<i>Camellia sasanqua</i> (Camellia)	Southern side boundary of front garden of 27 Vaucluse Road, Vaucluse	6 x 3.5														

Council Ref No	Species	Location	Dimension (metres)
26	<i>Castanospermum australe</i> (Black Bean)	Front garden of 27 Vaucluse Road, Vaucluse	9 x 6
27	<i>Ficus rubiginosa</i> (Port Jackson Fig)	Front garden of 27 Vaucluse Road, Vaucluse	13 x 11

The tree/s required to be retained must appear coloured green on the Construction Certificate plans.

b) The following trees must be transplanted and successfully established in the locations indicated on the approved landscape plan:

Council Ref No	Species	Location (current)	Dimension (metres)
2	<i>Howea forsteriana</i> (Kentia palm)	Front garden of 6 Fisher Avenue, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	6 x 3
21	<i>Howea forsteriana</i> (Kentia palm)	Front garden of 4 Fisher Avenue, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	6 x 3

Arboricultural contractors experienced in palm relocation must engaged to prepare the palms for moving, prepare the locations where they are to be planted, install trunk protection and rootball protection for the moving, use the correct machinery to mitigate damage, guy the trunk or install rootball anchors as required and undertake all necessary maintenance (minimum 12 months) to ensure robust establishment.

The tree/s required to be transplanted must appear coloured yellow on the Construction Certificate plans.

c) The following trees may be removed:

Council Ref No	Species	Location	Dimension (metres)
3, 4, 5, 6	<i>Cyathea cooperi</i> (Scaly tree fern)	Front garden of 6 Fisher Avenue, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	~5 x 3 each
7, 8, 9	<i>X Cupressocyparis leylandii</i> (Leyland Cypress)*	Southern side of 6 Fisher Avenue, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	7 x 5 metres
13, 14, 15	<i>Harpephyllum caffrum</i> (Kaffir Plum)	Rear garden of 27 Vaucluse Road, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	8 x 7 each
17, 18, 19, 20	<i>X Cupressocyparis leylandii</i> (Leyland Cypress)*	Northern side of 6 Fisher Avenue, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	~5-3.5 metres height
22	<i>Phoenix robellini</i> (Dwarf Date palm)	Rear garden of 4 Fisher Avenue, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	~2 x 3

	<p>The tree/s that may be removed must appear coloured red on the Construction Certificate plans.</p> <p>The species marked (*) is exempt from the WMC DCP 2015 and can be removed without requiring consent from Council.</p>
	<p>Condition Reason: To ensure all landscape works are undertaken in accordance with the approved plans and documents. Standard Condition A.22 (Autotext 22A)</p>

B. BEFORE DEMOLITION WORK COMMENCES

B. 1.	<p>Construction Certificate Required Prior to Any Demolition</p> <p>Where demolition is associated with an altered portion of, or an extension to an existing building the demolition of any part of a building is "commencement of erection of building" under section 6.6 of the Act.</p> <p>In such circumstance all conditions included at the following development stages of this consent must be satisfied prior to any demolition work:</p> <ul style="list-style-type: none"> • Before issue of a construction certificate • Before building work commences <p>This includes, but is not limited to, the issue of a Construction Certificate, appointment of a Principal Certifier, and Notice of Commencement under the Act.</p> <p>Note:</p> <ul style="list-style-type: none"> • See Over our Dead Body Society Inc v Byron Bay Community Association Inc [2001] NSWLEC 125. <p>Condition Reason: To ensure appropriate conditions are complied with for development for the alteration and extension of an existing building.</p>
B. 2.	<p>Identification of Hazardous Material</p> <p>Prior to any site works, and in accordance with Australian Standard AS2601: The Demolition of Structures, all hazardous substances located on the site must be identified, including asbestos, polychlorinated biphenyls (PCBs), lead paint, underground storage tanks, chemicals, etc.</p> <p>In this regard, prior to any site works, Council must be provided with a written report prepared by a suitably qualified competent person detailing:</p> <ul style="list-style-type: none"> • all hazardous materials identified on the site, • the specific location of all hazardous materials identified, • whether the hazardous materials are to be removed from the site as part of the works to be undertaken, and • safety measures to be put in place. <p>Condition Reason: To protect the health and safety of all persons while works are being undertaken and to ensure all safety measures have been identified and are in place to protect all parties in the immediate vicinity of the site.</p>

B. 3.	<p>Erosion and Sediment Controls – Installation</p> <p>Before any site work commences, water pollution, erosion and sedimentation controls must be installed and maintained in accordance with:</p> <p>a) “Do it Right On Site, Soil and Water Management for the Construction Industry” and accompanying factsheets published by the Southern Sydney Regional Organisation of Councils, and</p> <p>b) “Managing Urban Stormwater - Soils and Construction” 2004 published by the NSW Government (The Blue Book).</p> <p>Where there is any conflict The Blue Book takes precedence.</p> <p>Notes:</p> <ul style="list-style-type: none">• The “Do it Right On Site, Soil and Water Management for the Construction Industry” publication and accompanying factsheets can be downloaded from www.woollahra.nsw.gov.au and The Blue Book is available at www.environment.nsw.gov.au• A failure to comply with this condition may result in penalty infringement notices, prosecution, notices and orders under the Act and/or the Protection of the Environment Operations Act 1997 without any further warning. It is a criminal offence to cause, permit or allow pollution.• Section 257 of the Protection of the Environment Operations Act 1997 provides inter alia that “the occupier of premises at or from which any pollution occurs is taken to have caused the pollution”.• Warning: Irrespective of this condition any person occupying the site may be subject to proceedings under the Protection of the Environment Operations Act 1997 where pollution is caused, permitted or allowed as the result of their occupation of the land being developed. <p>Condition Reason: To prevent potential water pollution and dust nuisance.</p>
B. 4.	<p>Public Road Assets Prior to Any Work/Demolition</p> <p>Prior to any site works, a full record of the condition of the public infrastructure on public land adjacent to the development site must be submitted to Council.</p> <p>The report must include photographs and/or CCTV footage showing the current condition and any existing damage fronting and adjoining the site to the:</p> <ul style="list-style-type: none">• road pavement,• street signage including street lights,• kerb and gutter,• footway including pedestrian crossings, footpath, and driveways,• retaining walls, or other significant structures,• Heritage Items, including street name inlays,• utility service items including historical utility covers, and• drainage structures/pits/pipes (CCTV footage). <p>The reports are to be supplied in electronic format in Word and if applicable accompanied by CCTV footage. Photographs are to be in colour, digital and date stamped.</p> <p>If the required report is not submitted then Council will assume there was no damage to any infrastructure in the immediate vicinity of the site prior to the commencement of any site works under this consent.</p>

	Condition Reason: To clarify the condition of the existing public infrastructure prior to the commencement of any site works.						
B. 5.	Payment of Security and Fees						
Prior to any site works, the following security and fees must be paid in full:							
<table border="1"> <thead> <tr> <th data-bbox="300 414 810 504">Description</th> <th data-bbox="810 414 1058 504">Amount</th> <th data-bbox="1058 414 1230 504">Indexed</th> <th data-bbox="1230 414 1460 504">Council Fee Code</th> </tr> </thead> </table>				Description	Amount	Indexed	Council Fee Code
Description	Amount	Indexed	Council Fee Code				
SECURITY under section 4.17(6) of the <i>Environmental Planning and Assessment Act 1979</i>							
Property Damage Security Deposit - making good any damage caused to any property of the Council	\$531,236	No	T115				
INSPECTION FEES under section 608 of the <i>Local Government Act 1993</i>							
Security Administration Fee	\$225	No	T16				
TOTAL SECURITY AND FEES	\$531,461						
How must the payments be made?							
Payments must be made by:							
<ul style="list-style-type: none"> • cash deposit with Council, • credit card payment with Council, or • bank cheque made payable to Woollahra Municipal Council. 							
The payment of a security may be made by a bank guarantee where:							
<ul style="list-style-type: none"> • the guarantee is by an Australian bank for the amount of the total outstanding contribution, • the bank unconditionally agrees to pay the guaranteed sum to the Council on written request by Council on completion of the development or no earlier than 12 months from the provision of the guarantee whichever occurs first [NOTE: a time limited bank guarantee or a bank guarantee with an expiry date is not acceptable], • the bank agrees to pay the guaranteed sum without reference to the Applicant or landowner or other person who provided the guarantee and without regard to any dispute, controversy, issue or other matter relating to the development consent or the carrying out of development in accordance with the development consent, • the bank guarantee is lodged with the Council prior to any site works being undertaken, and • the bank's obligations are discharged when payment to the Council is made in accordance with the guarantee or when Council notifies the bank in writing that the guarantee is no longer required. 							
Notes:							
<ul style="list-style-type: none"> • An application must be made to Council by the person who paid the security for release of the securities held under section 4.17 of the Act. • The securities will not be released until the Occupation Certificate has been lodged with Council, Council has inspected the site and Council is satisfied that the public works have been carried out to Council's requirements. Council may use part or all of the security to complete the works to its satisfaction if the works do not meet Council's requirements. • Council will only release the security upon being satisfied that all damage or all works, the purpose for which the security has been held have been remedied or completed to Council's satisfaction as the case may be. • Council may retain a portion of the security to remedy any defects in any such public work that arise within 6 months after the work is completed. 							

	<ul style="list-style-type: none"> • Upon completion of each section of road, drainage and landscape work to Council's satisfaction, 90% of the bond monies held by Council for these works will be released upon application. 10% may be retained by Council for a further 6 month period and may be used by Council to repair or rectify any defects or temporary works during the 6 month period. • The Refund of Security Bond Application form can be downloaded from www.woollahra.nsw.gov.au <p>Condition Reason: To ensure any relevant security and fees are paid.</p>
<p>B. 6.</p>	<p>Dilapidation Reports for Existing Buildings</p> <p>Before any site work commences, dilapidation surveys and dilapidation reports must be conducted and prepared by a professional structural engineer for all buildings and/or structures that are located within the likely “zone of influence” of any excavation, dewatering and/or construction induced vibration as determined applicable by the structural engineer.</p> <p>These properties must include (but are not limited to):</p> <ul style="list-style-type: none"> a) No.2 Fisher Avenue b) No.8 Fisher Avenue c) 29A Vaocluse Road <p>Where access is not granted to any adjoining properties to prepare the dilapidation report, the report must be based on a survey of what can be observed externally and it must be demonstrated, in writing, to the satisfaction of the Principal Certifier, that all reasonable steps were taken to obtain access.</p> <p>The completed dilapidation reports must be submitted to the Principal Certifier for approval, and an approved copy of the reports must be submitted to Council with the Notice of Commencement prior to the commencement of any development work.</p> <p>No less than two (2) days before any site work commences, neighbouring building owner(s) must be provided with a copy of the dilapidation report for their property(ies).</p> <p>Notes:</p> <ul style="list-style-type: none"> • The dilapidation report will be made available to affected property owners on request and may be used by them in the event of a dispute relating to damage allegedly caused by the carrying out of the development. • This condition cannot prevent neighbouring buildings being damaged by the carrying out of the development. • Council will not be held responsible for any damage which may be caused to adjoining buildings as a consequence of the development being carried out. • Council will not become directly involved in disputes between the developer, its contractors and the owners of neighbouring buildings. <p>Condition Reason: To establish and document the structural condition of adjoining properties for comparison as site work progresses and is completed and ensure neighbours and Council are provided with the dilapidation report.</p>
<p>B. 7.</p>	<p>Public Road Assets Prior to Any Work/Demolition</p> <p>Prior to any site works, a full record of the condition of the public infrastructure on public land adjacent to the development site must be submitted to Council.</p> <p>The report must include photographs and/or CCTV footage showing the current condition and any existing damage fronting and adjoining the site to the:</p>

	<ul style="list-style-type: none"> • road pavement, • street signage including street lights, • kerb and gutter, • footway including pedestrian crossings, footpath, and driveways, • retaining walls, or other significant structures, • Heritage Items, including street name inlays, • utility service items including historical utility covers, and • drainage structures/pits/pipes (CCTV footage). <p>The reports are to be supplied in electronic format in Word and if applicable accompanied by CCTV footage. Photographs are to be in colour, digital and date stamped.</p> <p>If the required report is not submitted then Council will assume there was no damage to any infrastructure in the immediate vicinity of the site prior to the commencement of any site works under this consent.</p> <p>Condition Reason: To clarify the condition of the existing public infrastructure prior to the commencement of any site works.</p>
<p>B. 8.</p>	<p>Adjoining Buildings Founded on Loose Foundation Materials</p> <p>Before any site work commences, a professional engineer must determine the possibility of any adjoining buildings founded on loose foundation materials being affected by piling, piers or excavation. The professional engineer (geotechnical consultant) must assess the requirements for underpinning any adjoining or adjacent buildings founded on such soil on a case by case basis, and any reasonable direction of the professional engineer must be complied with.</p> <p>Notes:</p> <ul style="list-style-type: none"> • A failure to adequately assess and seek professional engineering (geotechnical) advice to ensure that appropriate underpinning and support to adjoining land is maintained prior to commencement may result in damage to adjoining land and buildings. • The person with the benefit of this consent is likely to be held responsible for any damages arising from the removal of any support to supported land as defined by section 177 of the Conveyancing Act 1919. <p>Condition Reason: To ensure professional engineering advice is obtained to confirm that appropriate underpinning and support to adjoining land is maintained.</p>
<p>B. 9.</p>	<p>Works (Construction) Zone – Approval and Implementation</p> <p>If the Construction Management Plan relies upon a Works Zone, before any site work commences, a Works Zone application must be made.</p> <p>If the works zone is approved, all fees for the Works Zone must be paid before it can be installed.</p> <p>All Works Zone signs must have been erected by Council to permit enforcement of the Works Zone by Council's Rangers and NSW Police before commencement of any site work. Signs are not erected until full payment of Works Zone fees is made.</p>


Notes:

- A minimum of four to six weeks must be allowed (for routine applications) from the date of making an application to the Traffic Committee (Woollahra Local Traffic Committee) constituted under clause 20 of the Transport Administration (General) Regulation 2018 to exercise those functions delegated by Transport for New South Wales under section 31(3) of the Transport Administration Act 1988.
- The enforcement of the Works Zone is at the discretion of Council's Rangers and the NSW Police Service. Any breach of the Works Zone must be reported to either Council or the NSW Police Service.

Condition Reason: To facilitate the efficient operation of construction projects and to minimise traffic disruption.


B. 10. Security Fencing, Hoarding (including 'Creative Hoardings') and Overhead Protection

Before any site work commences, security fencing must be provided around the perimeter of the development site, including any additional precautionary measures taken to prevent unauthorised entry to the site at all times during the demolition, excavation and construction period. Security fencing must be the equivalent 1.8m high chain wire as specified in AS 1725.



Type A Hoarding

Where the development site adjoins a public thoroughfare, the common boundary between them must be fenced for its full length with a hoarding, unless the least horizontal distance between the common boundary and the nearest parts of the structure is greater than twice the height of the structure. The hoarding must be constructed of solid materials (chain wire or the like is not acceptable) to a height of not less than 1.8m adjacent to the thoroughfare.




Type B Hoarding

Where a development site adjoins a public thoroughfare with a footpath alongside the common boundary then, in addition to the hoarding required above, the footpath must be covered by an overhead protective structure and the facing facade protected by heavy-duty scaffolding, unless either:

- a) the vertical height above footpath level of the structure being demolished is less than 4.0m; or
- b) the least horizontal distance between footpath and the nearest part of the structure is greater than half the height of the structure.

The overhead structure must consist of a horizontal platform of solid construction and vertical supports, and the platform must:

- a) extend from the common boundary to 200mm from the edge of the carriageway for the full length of the boundary,
- b) have a clear height above the footpath of not less than 2.1m,
- c) terminate 200mm from the edge of the carriageway (clearance to be left to prevent impact from passing vehicles) with a continuous solid upstand projecting not less than 0.5m above the platform surface, and
- d) together with its supports, be designed for a uniformly distributed live load of not less than 7 kPa.



The overhead protective structures must be installed and maintained in accordance with the NSW "Code of Practice - Overhead Protective Structures 1995". This is code available at www.safework.nsw.gov.au/__data/assets/pdf_file/0008/52883/Overhead-protective-structures-Code-of-practice.pdf

All Hoardings

Security fencing, hoarding and overhead protective structure must not obstruct access to utilities services including but not limited to man holes, pits, stop valves, fire hydrants or the like.

Hoardings on Public Land including 'Creative Hoardings'

All fees associated with the application and occupation and use of the road (footway) for required hoarding or overhead protection must be paid in full.

A creative hoarding (i.e. an approved artwork or historic image affixed to the hoarding) is required if the hoarding meets the criteria in Council's Creative Hoardings Policy (adopted March 2020). The cost of printing and affixing the creative hoarding is the responsibility of the person with the benefit of this consent. The Creative Hoardings Policy can be downloaded from Council's website www.woollahra.nsw.gov.au

Notes:

- A minimum of two (2) weeks from the date of making a hoarding application to determination must be allowed. Any approval for a hoarding or overhead protection under the Roads Act 1993 will be subject to its own conditions and fees.
- Council seeks to increase public art in the public domain by requiring artwork or historic images on hoardings located on public land. Under the Creative Hoardings Policy an application for a hoarding proposed on public land will require an approved artwork or historic image affixed to the hoarding if the hoarding meets the criteria in section 3 of the Policy:
 - A. Hoardings proposed on land zoned E1 Local Centre, or MU1 Mixed Use, or SP2 Infrastructure under Woollahra Local Environmental Plan 2014 AND erected for 8 weeks or more
OR
 - B. Hoardings proposed on land located along a State classified road (regardless of the zone) AND erected for 8 weeks or more
OR
 - C. Hoardings proposed in any other location than that referred to in A. and B. above AND erected for 12 weeks or more, except where:
 1. the capital investment value of the work to which the hoarding relates is less than \$1 million, or
 2. the land is zoned R2 Low Density Residential, or

	<p>3. the land is zoned R3 Medium Density Residential and the hoarding is located in a lane or street that does not have through traffic (e.g. a cul-de-sac or no through road).</p> <ul style="list-style-type: none"> • Artwork and historic images for the hoardings are assessed and approved in accordance with the Creative Hoardings Policy. Details of the artwork or images proposed to be affixed to the hoardings must be submitted with Council's form "Application for a permit to use a footpath for the erection of a hoarding/scaffolding". The Creative Hoardings Policy can be downloaded from www.woollahra.nsw.gov.au
	<p>Condition Reason: To ensure public safety.</p>
<p>B. 11.</p>	<p>Site Signs</p> <p>Before any site work commences, the sign/s required by clauses 70 of the Regulation and 75 of the Development Certification and Fire Safety Regulation must be erected and maintained at all times.</p> <p>Clause 70 of the Regulation provides:</p> <p>Erection of signs</p> <ul style="list-style-type: none"> • For the purposes of section 4.17(11) of the Act, the requirements of subclauses (2) and (3) are prescribed as conditions of a development consent for development that involves any building work, subdivision work or demolition work. • A sign must be erected in a prominent position on any site on which building work, subdivision work or demolition work is being carried out: <ol style="list-style-type: none"> a) showing the name, address and telephone number of the principal certifier for the work, and b) showing the name of the principal contractor (if any) for any building work and a telephone number on which that person may be contacted outside working hours, and c) stating that unauthorised entry to the work site is prohibited. • Any such sign is to be maintained while the building work, subdivision work or demolition work is being carried out, but must be removed when the work has been completed. • This clause does not apply in relation to building work, subdivision work or demolition work that is carried out inside an existing building that does not affect the external walls of the building. • This clause does not apply in relation to Crown building work that is certified, in accordance with section 6.28 of the Act, to comply with the Building Code of Australia. <p>Clause 75 of the Development Certification and Fire Safety Regulation provides:</p> <p>Signs on development sites</p> <p>If there is a person who is the Principal Certifier or the Principal Contractor for any building work, subdivision work or demolition work authorised to be carried out on a site by a development consent or complying development certificate:</p> <ul style="list-style-type: none"> • Each such person MUST ensure that a rigid and durable sign showing the person's identifying particulars so that they can be read easily by anyone in any public road or other public place adjacent to the site is erected in a prominent position on the site before the commencement of work, and is maintained on the site at all times while this clause applies until the work has been carried out. <p>Notes:</p> <ul style="list-style-type: none"> • Clause 75 of the Development Certification and Fire Safety Regulations imposes a maximum penalty of 55 penalty units if these requirements are not complied with.

	<ul style="list-style-type: none"> If Council is appointed as the Principal Certifier it will provide the sign to the Principal Contractor or Owner-builder who must ensure that the sign is erected and maintained as required by clause 70 of the Regulation and clause 75 of the Development Certification and Fire Safety Regulation. <p>Condition Reason: To ensure that contact details for the principal certifier and principal contractor are provided on a sign at the development site.</p>
<p>B. 12.</p>	<p>Toilet Facilities</p> <p>Before any site work commences, toilet facilities are to be provided, at or in the vicinity of the work site on which work involved in the erection or demolition of a building is being carried out, at the rate of one toilet for every 20 persons or part of 20 persons employed at the site.</p> <p>Each toilet provided:</p> <ol style="list-style-type: none"> must be a standard flushing toilet, and must be connected to a public sewer, or if connection to a public sewer is not practicable, to an accredited sewage management facility approved by the Council, or if connection to a public sewer or an accredited sewage management facility is not practicable, to some other sewage management facility approved by the Council. <p>The provision of toilet facilities in accordance with this condition must be completed before any other work is commenced.</p> <p>Notes:</p> <ul style="list-style-type: none"> In this condition ‘sewage management facility’ and ‘public sewer’ are as defined by clause 25 of the Local Government (Approvals) Regulation 1999. This condition does not set aside the requirement to comply with SafeWork NSW requirements. <p>Condition Reason: To ensure toilet facilities are provided for workers at the work site.</p>
<p>B. 13.</p>	<p>Compliance with Australian Standard for Demolition</p> <p>While site work is being carried out, the demolition of buildings and structures must comply with Australian Standard AS 2601—2001: The Demolition of Structures.</p> <p>Condition Reason To control the risks of demolition work.</p>
<p>B. 14.</p>	<p>Establishment Tree Protection Measures within the Tree Protection Zones (TPZ)</p> <p>Prior to any site works, tree protection measures must be established around all trees to be retained in accordance with Section 4 of the Australian Standard Protection of Trees on Development Sites (AS 4970).</p> <p>The Tree Protection Zones must be calculated in accordance with Section 3 of the Australian Standard Protection of Trees on Development Sites (AS 4970).</p> <p>A Construction Site Management Plan, which clearly details the tree protection measures, must be prepared before the issue of a construction certificate. The tree protection measures must comply with the following requirements;</p>

a) Tree Protection Fencing:

Council Ref No	Species	Tree Location	Fence Radius from Centre of Trunk (Metres)
1	<i>Angophora costata</i> (Sydney Pink Gum)	Front garden of 6 Fisher Avenue, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	15
2	<i>Howea forsteriana</i> (Kentia palm)	Front garden of 6 Fisher Avenue, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	2
12	<i>Phoenix canariensis</i> (Canary Island Date palm)	Rear garden of 27 Vaucluse Road, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	3
21	<i>Howea forsteriana</i> (Kentia palm)	Front garden of 4 Fisher Avenue, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	2
25	<i>Camellia sasanqua</i> (Camellia)	Southern side boundary of front garden of 27 Vaucluse Road, Vaucluse	2.7
26	<i>Castanospermum australe</i> (Black Bean)	Front garden of 27 Vaucluse Road, Vaucluse	5.8
27	<i>Ficus rubiginosa</i> (Port Jackson Fig)	Front garden of 27 Vaucluse Road, Vaucluse	10.8

Where this condition relates to trees on private property, the radial distance of fencing must be positioned only within the subject property relating to the development consent.

- b) Tree Protection Zones must be fenced with a 1.8 metre high chainmesh or weldmesh fence and secured to restrict access. The fence must be established prior to any materials being bought onto the site and before the commencement of works including demolition. The area within the fence must be mulched and the mulch layer maintained to a depth of 75mm or existing paving be left in situ. The soil within the TPZ area must be kept in a moist condition for the duration of the construction works. Unless approved by the site arborist there must be no access within the TPZ area.

- c) Trunk protection must be installed around the trunks of the following trees:

Council Ref No	Species
1	<i>Angophora costata</i> (Sydney Pink Gum)
2	<i>Howea forsteriana</i> (Kentia palm)
12	<i>Phoenix canariensis</i> (Canary Island Date palm)
21	<i>Howea forsteriana</i> (Kentia palm)
26	<i>Castanospermum australe</i> (Black Bean)
27	<i>Ficus rubiginosa</i> (Port Jackson Fig)

Trunk protection must consist of a padding material such as hessian or thick carpet underlay wrapped around the trunk. Hardwood planks (50mm x100mm or similar) must be placed over the padding and around the trunk of the tree at 150mm centres. The planks must be secured with 8 gauge wire at 300mm spacing. Trunk protection must extend a minimum height of 2 metres or to the maximum possible length permitted by the first branches.

- d) Signs identifying the Tree Protection Zone area must be erected on each side of the protection fence indicating the existence of a TPZ area. Signage must be visible from within the development site.
- e) No excavation, construction activity, grade changes, storage of materials, stockpiling, siting of works sheds, preparation of mixes or cleaning of tools is permitted within Tree Protection Zones, unless specified in this consent.
- f) Existing paving as ground protection within the TPZ of Tree 1 and Tree 27 must remain in situ during the demolition and construction of the proposed development to protect the roots underneath from compaction and damage. The existing paving can only be removed for turfing and soft landscaping. The TPZ of Tree 1 is specified in the table below:

Council Ref No	Species	Tree Location	TPZ radius from Centre of Trunk (Metres)
1	<i>Angophora costata</i> (Sydney Pink Gum)	Front garden of 6 Fisher Avenue, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	15
27	<i>Ficus rubiginosa</i> (Port Jackson Fig)	Front garden of 27 Vaucluse Road, Vaucluse	10.8

- g) Ground protection must be established within the specified radius from the trunks of the following trees.

Council Ref No	Species	Tree Location	Radius from Centre of Trunk (Metres)
2	<i>Howea forsteriana</i> (Kentia palm)	Front garden of 6 Fisher Avenue, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	2
12	<i>Phoenix canariensis</i> (Canary Island Date palm)	Rear garden of 27 Vaucluse Road, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	3
21	<i>Howea forsteriana</i> (Kentia palm)	Front garden of 4 Fisher Avenue, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	2

Ground protection must consist of (geotextile fabric placed directly over the ground surface with 100mm mulch / aggregate / rumble boards strapped over mulch / steel plating over 10mm mulch layer / retention of existing surface. No excavation, construction activity, grade changes, storage of materials, stockpiling, siting of works sheds, preparation of mixes or cleaning of tools is permitted within the ground protection area unless specified in this consent.

- h) Height Control Beam - The proximity of the low portion of the canopy of Tree 1 must be protected in relation to movement of vehicles and plant to ensure that branches are not damaged.

A height control beam must be installed at the edge of the lowest portions of the canopy of Tree 1 to prevent vehicles and plant exceeding the height of the lowest portions of the canopy driving under the canopy of the tree and causing damage. A corridor for vehicular movement must be approved by the Project Arborist prior to any work commencing.
- i) Temporary access within the TPZ area for pedestrian and machinery movements must only be permitted with the approval of the site arborist or unless specified in this consent.
- j) The site supervisor must be made aware of all tree protection requirements associated with these conditions of consent by the project arborist. Any subsequent site personnel and contractors to the site must be made aware of all tree protection requirements by the site foreman.
- k) The project arborist must provide written certification of compliance to the Principal Certifier with the above conditions.

Condition Reason: To ensure the protection of existing trees
 Standard Condition B.5 (Autotext 5B)

B. 15. Construction Management Plan Arborist Review

Prior to any site works, the Construction Management Plan must be reviewed and certified by the Project Arborist confirming that appropriate tree protection measures are implemented. The Construction Management Plan must be prepared in accordance with all tree protection measures specified within this consent.

The plan must address:

- a) Drawings and method statement showing details and the location of hoarding and scaffold and any pruning required to accommodate the hoarding and scaffolding;
- b) The movement and positioning of heavy machinery, lifting cranes, pier drilling gantry etc.;
- c) Site construction access, temporary crossings and movement corridors on the site defined;
- d) Contractors car parking;
- e) Phasing of construction works;
- f) The space needed for all foundation excavations and construction works;
- g) All changes in ground level;
- h) Space for site sheds and other temporary structures such as toilets;
- i) Space for sorting and storing materials (short or long term), spoil and fuel and the mixing of cement and concrete; and
- j) The effects of slope on the movement of potentially harmful liquid spillages towards or into tree protection areas.

Condition Reason To ensure the Construction Management Plan incorporates measures for the protection of existing trees.

<p>B. 16.</p>	<p>Arborists Documentation and Compliance Checklist</p>										
<p>Prior to any site works, the project arborist must provide written certification that all tree protection measures and construction techniques relevant to this consent are implemented. Documentation for each site visit must include:</p>											
<ul style="list-style-type: none"> • A record of the condition of trees to be retained prior to and throughout development. • Recommended actions to improve site conditions and rectification of non-compliance. • Recommendations for future works which may impact the trees. 											
<p>All compliance certification documents must be kept on site.</p>											
<p>As a minimum the following intervals of site inspections must be made:</p>											
<table border="1"> <thead> <tr> <th data-bbox="316 685 564 801">Stage of arboricultural inspection and supervision</th> <th data-bbox="571 685 1439 801">Compliance documentation and photos must include</th> </tr> </thead> <tbody> <tr> <td data-bbox="316 810 564 1043">Prior to any site works</td> <td data-bbox="571 810 1439 1043"> <ul style="list-style-type: none"> • Project Arborist to hold pre construction site meeting with the principal contractor to discuss methods and importance of tree protection measures and resolve any issues in relation to feasibility of tree protection requirements that may arise. Project Arborist to mark all trees approved for removal under DA consent. • The project arborist must install or supervise the installation of tree protection fencing, trunk protection, ground protection and traffic height control beam. </td> </tr> </tbody> </table>				Stage of arboricultural inspection and supervision	Compliance documentation and photos must include	Prior to any site works	<ul style="list-style-type: none"> • Project Arborist to hold pre construction site meeting with the principal contractor to discuss methods and importance of tree protection measures and resolve any issues in relation to feasibility of tree protection requirements that may arise. Project Arborist to mark all trees approved for removal under DA consent. • The project arborist must install or supervise the installation of tree protection fencing, trunk protection, ground protection and traffic height control beam. 				
Stage of arboricultural inspection and supervision	Compliance documentation and photos must include										
Prior to any site works	<ul style="list-style-type: none"> • Project Arborist to hold pre construction site meeting with the principal contractor to discuss methods and importance of tree protection measures and resolve any issues in relation to feasibility of tree protection requirements that may arise. Project Arborist to mark all trees approved for removal under DA consent. • The project arborist must install or supervise the installation of tree protection fencing, trunk protection, ground protection and traffic height control beam. 										
<p>Inspections and compliance documentation must be made by an arborist with AQF Level 5 qualifications.</p>											
<p>Additional site visits must be made when required by the site arborist and/or site foreman for ongoing monitoring/supervisory work.</p>											
<p>Condition Reason To ensure that written certification that all tree protection measures and construction techniques relevant to this consent have been implemented.</p>											
<p>B. 17.</p>	<p>Permissible work within Tree Protection Zones</p>										
<p>Prior to any site works, the following works are permissible within the Tree Protection Zone:</p>											
<table border="1"> <thead> <tr> <th data-bbox="316 1603 453 1697">Council Ref No</th> <th data-bbox="459 1603 641 1697">Species</th> <th data-bbox="647 1603 868 1697">Radius from Centre of Trunk (Metres)</th> <th data-bbox="874 1603 1439 1697">Approved works</th> </tr> </thead> <tbody> <tr> <td data-bbox="316 1706 453 2042">1</td> <td data-bbox="459 1706 641 2042"><i>Angophora costata</i> (Sydney Pink Gum)</td> <td data-bbox="647 1706 868 2042">15</td> <td data-bbox="874 1706 1439 2042">Proposed demolition works. Proposed dwelling and driveway. Proposed pedestrian ramp and path constructed above existing ground levels on piers or cantilevered. Proposed front fence constructed using existing front fence footings or pier footings to avoid the severing of woody roots and to provide a minimum 150mm clearance from the trunk of Tree 1. Proposed soft landscaping.</td> </tr> </tbody> </table>				Council Ref No	Species	Radius from Centre of Trunk (Metres)	Approved works	1	<i>Angophora costata</i> (Sydney Pink Gum)	15	Proposed demolition works. Proposed dwelling and driveway. Proposed pedestrian ramp and path constructed above existing ground levels on piers or cantilevered. Proposed front fence constructed using existing front fence footings or pier footings to avoid the severing of woody roots and to provide a minimum 150mm clearance from the trunk of Tree 1. Proposed soft landscaping.
Council Ref No	Species	Radius from Centre of Trunk (Metres)	Approved works								
1	<i>Angophora costata</i> (Sydney Pink Gum)	15	Proposed demolition works. Proposed dwelling and driveway. Proposed pedestrian ramp and path constructed above existing ground levels on piers or cantilevered. Proposed front fence constructed using existing front fence footings or pier footings to avoid the severing of woody roots and to provide a minimum 150mm clearance from the trunk of Tree 1. Proposed soft landscaping.								

	2	<i>Howea forsteriana</i> (Kentia palm)	2	Proposed demolition works. Proposed driveway and breeze block privacy screen. Proposed front fence. Proposed soft landscaping.
	12	<i>Phoenix canariensis</i> (Canary Island Date palm)	3	Proposed demolition works. Proposed soft landscaping and stairs.
	21	<i>Howea forsteriana</i> (Kentia palm)	2	Proposed demolition works. Proposed soft landscaping and front fence.
	25	<i>Camellia sasanqua</i> (Camellia)	2.7	Proposed demolition. Recommended tree and ground protection.
	26	<i>Castanospermum australe</i> (Black Bean)	5.8	Proposed demolition. Recommended tree and ground protection.
	27	<i>Ficus rubiginosa</i> (Port Jackson Fig)	10.8	Proposed demolition. Recommended tree and ground protection.
	<p>The project arborist must provide written certification of compliance to the Principal Certifier with the above condition.</p>			
	<p>Condition Reason To establish the works which are permissible within the Tree Protection Zones. Standard Condition B.30 (Autotext 30B)</p>			
B. 18.	<p>Exposure of features indicating Aboriginal heritage during demolition or excavation</p>			
	<p>Demolition and excavation contractors must receive a heritage induction by a Heritage Officer from La Perouse Local Aboriginal Land Council.</p> <p>If any of the following features are exposed, a La Perouse LALC Heritage Officer must be invited to inspect the feature and recommend whether harm is unlikely or, alternatively, if further investigation or monitoring is required.</p> <ul style="list-style-type: none"> • Any large flat sandstone exposure. • Any sandstone overhang. • Any shell, bone, concentrated areas of charcoal, flaked stone or ground edge artefacts. <p>If there is any doubt, a La Perouse LALC Heritage Officer must be engaged.</p>			
	<p>Condition Reason: Conservation of any potential Aboriginal heritage as per Woollahra LEP 2014 s5.10(1)(d).</p>			

B. 19.	<p>Aboriginal Heritage Due Diligence Responsibilities</p> <p>While site work is being carried out, nothing in this approval allows to cause harm to an Aboriginal object as defined in the National Parks & Wildlife Act 1974. Under the National Parks & Wildlife Act 1974, it is an offence to harm Aboriginal ‘objects’ (consisting of any material evidence of the Aboriginal occupation of NSW) without a valid Aboriginal Heritage Impact Permit under Section 90 of the Act. This applies whether the harm occurs either knowingly [s86(1)] or unknowingly [s86(2)].</p> <p>It is a defence to the strict liability offence of harm to an Aboriginal object under s86(2) if a process of Due Diligence was followed which reasonably determined that the proposed activity would not harm an Aboriginal object.</p> <p>Condition Reason: To protect Aboriginal heritage.</p>
B. 20.	<p>Aboriginal Heritage Induction</p> <p>Prior to any site works:</p> <ul style="list-style-type: none"> a) All construction staff and contractors must be made aware of their statutory obligations for Aboriginal heritage under the National Parks and Wildlife Act 1974; b) An Aboriginal heritage induction is to be delivered by the La Perouse Local Aboriginal Land Council, or by a heritage consultant with Aboriginal heritage expertise (if a representative of the Local Land Council is not able to provide the induction), to explain what Aboriginal heritage may be found and outline the unexpected findings procedures; and c) Documentary evidence demonstrating compliance with a) and b) above must be submitted to Council and the Principal Certifier. <p>Condition Reason: To protect Aboriginal heritage.</p>

C. ON COMPLETION OF REMEDIATION WORK

Nil.

D. BEFORE THE ISSUE OF A CONSTRUCTION CERTIFICATE

D. 1.	<p>Modification of Details of the Development (section 4.17(1)(g) of the Act</p> <p>Before the issue of any construction certificate, the approved plans and the construction certificate plans and specification, required to be submitted to the Principal Certifier under clause 7 of the Development Certification and Fire Safety Regulations, must detail the following amendments:</p> <ul style="list-style-type: none"> a) Landscaping to the proposed <i>sunken garden</i> occupying the rear portion of 27 Vaucluse Road must consist of species with maximum mature heights not exceeding RL47.55. b) Planting to the first-floor planter to the front elevation and returning to the front section of the northern side elevation shall not exceed RL55.00. c) The proposed Tuckeroo and European Olive tree plantings to the front setback with stated mature heights of up to 8-10m must be substituted for species with a maximum mature height no greater than the roof level RL56.42. d) Window W.F.05 must consist of fixed translucent glazing or alternatively privacy louvres to a minimum height of 1.65m above the first floor level. e) 786m³ of the excavated material must be used on-site as fill in accordance with architectural drawing DA003 Rev 1 dated 15/10/2024. f) In accordance with Attachment 4 of Council’s DA Guide a Transplant Feasibility and Method Statement must be prepared by Arboricultural contractors experienced
--------------	--

	<p>in palm relocation. The document must detail preparation of palms T2 and T21 for moving, prepare the locations where they are to be planted, install trunk protection and rootball protection for the moving, use the correct machinery to mitigate damage, guy the trunk or install rootball anchors as required and undertake all necessary maintenance (minimum 12 months) to ensure robust establishment. This document must be submitted to Council's Tree Officer for approval prior to the issue of any construction certificate.</p> <p>g) The submitted Amended Arboricultural Impact Assessment and Tree Protection Plan, written by Lisa Durland – Green Spaces Consultancy, dated 04/04/2024 must be amended to delete any reference stating Trees 25 and 26 were approved for removal as part of DA142/2023/1. Trees 25 and 26 were conditioned to be retained as part of DA142/2023/1.</p> <p>h) The Roof Plan (Drawing DA205 Rev 3 dated 21/10/2024) must be revised to include the following amended notation:</p> <p>No building elements, fixtures, fittings or landscaping to exceed RL 56.42 within pink dashed zone.</p> <p>i) The Landscaping Plans and the Architectural Plans shall be amended so that Trees T2 and T21, and any other trees requiring transplanting, are not shown to be transplanted to the north-eastern corner of 4 Fisher Avenue, but to the south east corner of the front setback of 6 Fisher Avenue.</p> <p>Notes:</p> <ul style="list-style-type: none"> • Clause 20 of the Development Certification and Fire Safety Regulations prohibits <i>the</i> issue of any construction certificate subject to this condition unless the Principal Certifier is satisfied that the condition has been complied with. • Clause 19 of the Development Certification and Fire Safety Regulations prohibits the issue of any construction certificate that is inconsistent with this consent.
	<p>Condition Reason: To require design changes and/or further information to be provided to address specific issues identified during the assessment under section 4.15 of the Act.</p>
<p>D. 2.</p>	<p>Surrender of Consent (section 4.17(1)(b) and section 4.17(5) of the Act)</p> <p>Before the issue of any construction certificate, notices of surrender of development consents DA340/2022 dated 8 August 2023 and DA 142/2023 dated 31 January 2024 must be provided to Council in writing by the Owners of the land in compliance with clauses 67 and 68 of the Regulations.</p> <p>No construction certificate must be issued until Council has acknowledged in writing that this condition has been satisfied.</p> <p>Condition Reason: To ensure an existing development consent/consents is/are surrendered.</p>
<p>D. 3.</p>	<p>Payment of Long Service Levy</p> <p>Before the issue of any construction certificate, the original receipt(s) for the payment of the following levy must be provided to the Principal Certifier:</p>

Description	Amount	Indexed	Council Fee Code										
LONG SERVICE LEVY under <i>Building and Construction Industry Long Service Payments Act 1986</i>													
Long Service Levy www.longservice.nsw.gov.au/bci/levy/other-information/levy-calculator	Contact LSL Corporation or use online calculator	No											
<p>Building and Construction Industry Long Service Payment The long service levy under section 34 of the Building and Construction Industry Long Service Payment Act 1986, must be paid and proof of payment provided to the Principal Certifier prior to the issue of any construction certificate. The levy can be paid directly to the Long Service Corporation or to Council. Further information can be obtained from the Long Service Corporation website www.longservice.nsw.gov.au or the Long Service Corporation on 131 441.</p> <p>How must the payments be made? Payments must be made by:</p> <ul style="list-style-type: none"> • cash deposit with Council, • credit card payment with Council, or • bank cheque made payable to Woollahra Municipal Council. 													
<p>Condition Reason: To ensure any relevant levy is paid.</p>													
<p>D. 4.</p>	<p>Payment of S7.12 Contributions Levy</p>												
<p>A payment of a levy authorised by section 7.12 of the Environmental Planning and Assessment Act 1979 must be paid prior to the issue of any Construction Certificate or Subdivision Works Certificate. The Principal Certifier is to be provided with the original receipt for payment under the Woollahra Section 7.12 Development Contributions Plan 2022.</p> <p>A cost estimate report, no more than 3 months old, demonstrating the proposed cost of carrying out the development must be completed and submitted to Council for determination of the costs of work. This report must incorporate all approved modification applications. The costs and expenses of the proposed cost of development must be established in accordance with clause 208 of the Environmental Planning and Assessment Regulation 2021.</p> <p>The cost estimate report must be in the form of:</p> <ul style="list-style-type: none"> • A cost summary report, prepared by the applicant or a suitably qualified person for a development up to \$749,999; or • A quantity surveyor's report, for development over \$750,000. <p>The applicable levy rate is to be calculated using the summary schedule below.</p>													
<table border="1"> <thead> <tr> <th colspan="2" data-bbox="316 1780 1422 1816">Summary Schedule</th> </tr> <tr> <th data-bbox="316 1816 1110 1852">Development Cost</th> <th data-bbox="1110 1816 1422 1852">Levy Rate</th> </tr> </thead> <tbody> <tr> <td data-bbox="316 1852 1110 1888"> <ul style="list-style-type: none"> • Up to and including \$100,000 </td> <td data-bbox="1110 1852 1422 1888"> Nil </td> </tr> <tr> <td data-bbox="316 1888 1110 1924"> <ul style="list-style-type: none"> • More than \$100,000 and up to and including \$200,000 </td> <td data-bbox="1110 1888 1422 1924"> 0.5% of the cost </td> </tr> <tr> <td data-bbox="316 1924 1110 1951"> <ul style="list-style-type: none"> • More than \$200,000 </td> <td data-bbox="1110 1924 1422 1951"> 1% of the cost </td> </tr> </tbody> </table>				Summary Schedule		Development Cost	Levy Rate	<ul style="list-style-type: none"> • Up to and including \$100,000 	Nil	<ul style="list-style-type: none"> • More than \$100,000 and up to and including \$200,000 	0.5% of the cost	<ul style="list-style-type: none"> • More than \$200,000 	1% of the cost
Summary Schedule													
Development Cost	Levy Rate												
<ul style="list-style-type: none"> • Up to and including \$100,000 	Nil												
<ul style="list-style-type: none"> • More than \$100,000 and up to and including \$200,000 	0.5% of the cost												
<ul style="list-style-type: none"> • More than \$200,000 	1% of the cost												
<p>How must the payments be made? Payments must be made by:</p> <ul style="list-style-type: none"> • Cash deposit with Council, 													

- Credit card payment with Council, or
- Bank cheque made payable to Woollahra Municipal Council.

Deferred or periodic payment of section 7.12 levy

Where the Applicant makes a written request supported by reasons for payment of the section 7.12 levy other than as required by clause 2.9, the Council may accept deferred or periodic payment. The decision to accept a deferred or periodic payment is at the sole discretion of the Council, which will consider:

- the reasons given,
- whether any prejudice will be caused to the community deriving benefit from the public facilities,
- whether any prejudice will be caused to the efficacy and operation of the Plan, and
- whether the provision of public facilities in accordance with the adopted works schedule will be adversely affected.

Council may, as a condition of accepting deferred or periodic payment, require the provision of a bank guarantee where:

- the guarantee is by an Australian bank for the amount of the total outstanding contribution,
- the bank unconditionally and irrevocably agrees to pay the guaranteed sum to the Council on written request by Council prior to the issue of an occupation certificate,
- a time limited bank guarantee or a bank guarantee with an expiry date is not acceptable,
- the bank agrees to pay the guaranteed sum without recourse to the applicant or landowner or other person who provided the guarantee and without regard to any dispute, controversy, issue or other matter relating to the development consent or the carrying out of development in accordance with the development consent, and
- the bank’s obligations are discharged when payment to the Council is made in accordance with the guarantee or when Council notifies the bank in writing that the guarantee is no longer required.

Any deferred or periodic payment of the section 7.12 levy will be adjusted in accordance with clause 2.12 of the Plan. The Applicant will be required to pay any charges associated with establishing or operating the bank guarantee. Council will not cancel the bank guarantee until the outstanding contribution as indexed and any accrued charges are paid.

Do you need HELP indexing the levy?

Please contact Council’s Customer Service Team on 02 9391 7000. Failure to correctly calculate the adjusted development levy will delay the issue of any certificate issued under section 6.4 of the Act and could void any such certificate (e.g. construction certificate, subdivision certificate, or occupation certificate).

Condition Reason: To ensure any relevant contributions are paid.

D. 5. BASIX Commitments

Before the issue of any construction certificate, BASIX Certificate No. 1742448S must be submitted to the Principal Certifier with any application for a construction certificate.

All commitments in the BASIX Certificate must be shown on the construction certificate plans and specifications prior to the issue of any construction certificate.

	<p>Notes:</p> <ul style="list-style-type: none"> Where there is any proposed change in the BASIX commitments the Applicant must submit a new BASIX Certificate to the Principal Certifier and Council. If any proposed change in the BASIX commitments are inconsistent with development consent (see: clauses 19 and 20 of the Development Certification and Fire Safety Regulation) the Applicant will be required to submit an amended development application to Council under section 4.55 of the Act. Clause 19(1)(a) of the Development Certification and Fire Safety Regulation 2021 provides: a certifier must not issue a construction certificate for building work unless: the relevant building work plans and specifications include the matters required by a relevant BASIX certificate, if any. <p>Condition Reason: To ensure all commitments in the BASIX Certificate are incorporated into the development.</p>
<p>D. 6.</p>	<p>Road and Public Domain Works</p> <p>Before the issue of any construction certificate, a separate application under Section 138 of the Roads Act 1993 is to be made to, and be approved by Council, for the following infrastructure works. The infrastructure works must be carried out at the applicant's expense:</p> <p><u>Encroachments:</u></p> <p>a) All existing encroachments over Council's road reserve on Fisher Avenue, including pavers and strip drains, must be removed and the area restored to Council's Asset's Engineer's satisfaction.</p> <p><u>Drainage Works:</u></p> <p>a) The discharge of stormwater, through inter-allotment drainage easement over proposed Lot 2 (No.27 Vaucluse Road), by direct connection to Council's belowground drainage system, through a <u>new</u> Kerb Inlet Pit (KIP) fronting No. 27 Vaucluse Road. Council's existing belowground drainage system, fronting No. 23A Vaucluse Road, must then be extended, to connect to the new KIP fronting the site. An <u>additional</u> second <u>new</u> KIP must also be placed between the two end connections and to the satisfaction of Council's Asset Engineer. Note: the 2 new KIPs must be standard double grated gully pits with a 1.8m kerb lintel in accordance with Council's standard drawing DR1 with a minimum clearance of 0.5m from any vehicular crossings. The access grate must be Class D "bicycle-friendly" grate. Longitudinal sections must be submitted. Design details and location of all existing public utility services must be included in the longitudinal sections.</p> <p><u>Road and Footpath Works:</u></p> <p>a) The removal of the 2 redundant vehicular crossings on Fisher Avenue (4 and 6 Fisher Avenue) including layback and gutter and reinstated into Council's standard kerb and gutter and nature strip in accordance with Council's Specification for Roadworks, Drainage and Miscellaneous Works and to the satisfaction of Council's Assets Engineers.</p> <p>b) The removal of the existing vehicular crossing including layback and gutter and the construction of a new 3 metres wide vehicular crossing on Fisher Avenue, in accordance with Council's Crossing Specification, standard driveway drawing RF2_D and to the satisfaction of Council's Assets Engineer. <u>Note:</u> The existing shared vehicular crossing with the neighbouring property at No.8 Fisher Avenue, must be saw cut along property boundary with the approximate 3.2m wide space in between the proposed crossing and the neighbouring crossing converted to natures strip and kerb and gutter to the satisfaction of Council's Asset Engineer. The layback for the neighbouring property (No.8 Fisher Avenue) must be reconstructed.</p>

- c) The new vehicular crossing must be constructed at a right angle to the street kerb in plain concrete where the centreline of the new crossing must align with the centreline of the internal driveway at the property boundary. Design longitudinal surface profiles along each side/edge for the proposed driveway, starting from the road centreline to the parking slab must be submitted for assessment.
Note: The gradient of the vehicular crossing must be in accordance with the AS/NZS 2890.1:2004 and Council's Specifications. The existing footpath levels are to be maintained wherever possible and cannot be altered without Council's approval.
- d) The removal and replacement of all cracked/damaged kerb and gutter for the full frontage of the site on Fisher Avenue, in accordance with Council's Specification, Council's standard drawing RF3 and to the satisfaction of Council's Assets Engineers.
- e) The reinstatement of the existing, kerb and gutter and road pavement on Fisher Avenue and Vaucluse Road, to Council's Specification for Roadworks, Drainage and Miscellaneous Works and to the satisfaction of Council's Assets Engineers.
- f) Where a grass verge exists, the balance of the area between the footpath and the kerb over the full frontage of the proposed development must be turfed. The grass verge must be constructed to contain a uniform minimum 75mm of friable growing medium and have a total cover of Couch turf.

Before the issue of any construction certificate, the principal certifier must be provided with the original receipt(s) for the payment of all of the following security bonds and fees:

Description	Amount	Indexed	Council Fee Code
SECURITY under section 4.17(6) of the <i>Environmental Planning and Assessment Act 1979</i>			
Infrastructure Works Bond - completing any public work required in connection with the consent.	\$113,300	No	T113
Infrastructure Works Bond – remedying any defects in any public work that arise within 6 months after the work is completed	\$0	No	T113
INSPECTION FEES under section 608 of the <i>Local Government Act 1993</i>			
Public Road and Footpath Infrastructure Inspection Fee	\$674	No	T45
TOTAL SECURITY AND FEES	\$113,974		

How must the payments be made?

Payments must be made by:

- a) cash deposit with Council,
- b) credit card payment with Council, or
- c) bank cheque made payable to Woollahra Municipal Council.

The payment of a security may be made by a bank guarantee where:

- a) the guarantee is by an Australian bank for the amount of the total outstanding contribution,
- b) the bank unconditionally agrees to pay the guaranteed sum to the Council on written request by Council on completion of the development or no earlier than 12 months from the provision of the guarantee whichever occurs first [NOTE: a time limited bank guarantee or a bank guarantee with an expiry date is not acceptable],

- c) the bank agrees to pay the guaranteed sum without reference to the Applicant or landowner or other person who provided the guarantee and without regard to any dispute, controversy, issue or other matter relating to the development consent or the carrying out of development in accordance with the development consent,
- d) the bank guarantee is lodged with the Council prior to any site works being undertaken, and
- e) the bank's obligations are discharged when payment to the Council is made in accordance with the guarantee or when Council notifies the bank in writing that the guarantee is no longer required.

Notes:

- **Road** has the same meaning as in the Roads Act 1993.
- Changes in levels may arise from the detailed design of buildings, road, footpath, driveway crossing grades and stormwater. Changes required under Roads Act 1993 approvals may necessitate design and levels changes under this consent. This may in turn require the Applicant to seek to amend this consent.
- Works or structures over, on or under public roads or footpaths are subject to sections 138, 139 and 218 of the Roads Act 1993 and specifically:
 - Construction of driveways and/or new or alterations to footpath paving
 - Alteration and/or extension to Council drainage infrastructure
 - Alteration and/or addition of retaining walls
 - Pumping of water to Council's below ground stormwater system
 - Installation of soil/rock anchors under the roadway
 - Installation of Stormwater outlet pipes across the nature strip
- An "Application to Carry Out Works in a Public Road" form must be completed and lodged, with the application fee, at Council's Customer Services. Detailed plans and specifications of all works (including but not limited to structures, road works, driveway crossings, footpaths and stormwater drainage etc) within existing roads, must be attached, submitted to and approved by Council under section 138 of the Roads Act 1993, before the issue of any construction certificate.
- Detailed engineering plans and specifications of the works required by this condition must accompany the application form. The plans must clearly show the following:
 - Engineering drawings (plan, sections and elevation views) and specifications of the footpath, driveways, kerb and gutter, new gully pit showing clearly the connection point of site outlet pipe(s). The connection drainage lines must be as direct as possible and generally run perpendicular to the kerb alignment.
 - Engineering drawings of the new drainage line to be constructed joining the new and existing drainage pits including services.
- All driveways must include a design longitudinal surface profile for the proposed driveway for assessment. The driveway profile is to start from the road centreline and be along the worst case edge of the proposed driveway. Gradients and transitions must be in accordance with clause 2.5.3, 2.6 of AS 2890.1 – 2004, Part 1 – Off-street car parking. The driveway profile submitted to Council must be to (1:25) scale (for template checking purposes) and contain all relevant details: reduced levels, proposed grades and distances.
- The existing footpath level and grade at the street alignment of the property must be maintained unless otherwise specified by Council. Your driveway levels are to comply with AS2890.1 and Council's Standard Drawings. There may be occasions where these requirements conflict with your development and you are required to carefully check the driveway/garage slab and footpath levels for any variations.
- Any adjustments required from the garage slab and the street levels are to be carried out internally on private property
- Drainage design works must comply with the Woollahra DCP 2015 Chapter E2 – Stormwater and Flood Risk Management.
- Temporary ground anchors may be permitted, in accordance with Council's "Rock Anchor Policy".
- Services: Prior to any excavation works, the location and depth of all public utility services (telephone, cable TV, electricity, gas, water, sewer, drainage, etc.) must be ascertained. The Applicant must be responsible for all public utility adjustment/relocation works, necessitated by the development work and as required by the various public utility authorities and/or their agents.

	<ul style="list-style-type: none"> • All public domain works must comply with the latest version of Council's "Specification for Roadworks, Drainage and Miscellaneous Works" unless expressly provided otherwise by these conditions. This specification and the application form can be downloaded from www.woollahra.nsw.gov.au. • When an application under the Roads Act is required, then four (4) weeks is to be allowed for assessment. • An application must be made to Council by the person who paid the security for release of the securities held under section 4.17 of the Act. • The securities will not be released until the Occupation Certificate has been lodged with Council, Council has inspected the site and Council is satisfied that the public works have been carried out to Council's requirements. Council may use part or all of the security to complete the works to its satisfaction if the works do not meet Council's requirements. • Council will only release the security upon being satisfied that all damage or all works, the purpose for which the security has been held have been remedied or completed to Council's satisfaction as the case may be. • When determining whether the works within public land are satisfactory, Council will consider the ownership, construction quality, maintenance, operations, and public utility of such item/s. • Upon completion of each section of road, drainage and landscape work to Council's satisfaction, 90% of the bond monies held by Council for these works will be released upon application. 10% may be retained by Council for a further 6 month period and may be used by Council to repair or rectify any defects or temporary works during the 6 month period. <p>Condition Reason: To ensure the design of the road, footpaths, driveway crossings and public stormwater drainage works are detailed and approved under section 138 of the Roads Act 1993 and to ensure the works are completed to Council's satisfaction.</p>
<p>D. 7.</p>	<p>Erosion and Sediment Control Plan – Submission and Approval</p> <p>Before the issue of any construction certificate, an erosion and sediment control plan, prepared by a suitably qualified person in accordance with the following documents, must be submitted to the Principal Certifier. The erosion and sediment control plan must comply with:</p> <ol style="list-style-type: none"> a) "Do it Right On Site, Soil and Water Management for the Construction Industry" and the accompanying factsheets published by the Southern Sydney Regional Organisation of Councils; and b) "Managing Urban Stormwater - Soils and Construction" 2004 published by the NSW Government (The Blue Book). <p>Where there is any conflict The Blue Book takes precedence.</p> <p>The Principal Certifier must be satisfied that the erosion and sediment control plan complies with the publications above prior to issuing any construction certificate.</p> <p>Notes:</p> <ul style="list-style-type: none"> • The International Erosion Control Association – Australasia www.austieca.com.au lists consultant experts who can assist in ensuring compliance with this condition. Where erosion and sedimentation plans are required for larger projects it is recommended that expert consultants produce these plans. • The "Do it Right On Site, Soil and Water Management for the Construction Industry" publication and accompanying factsheets can be downloaded from www.woollahra.nsw.gov.au, and The Blue Book is available at www.environment.nsw.gov.au • Under clause 73(2)(a)(v) of the Development Certification and Fire Safety Regulation an Accredited Certifier may be satisfied as to this matter. <p>Condition Reason: To prevent potential water pollution and dust nuisance.</p>

<p>D. 8.</p>	<p>Professional Engineering Details</p> <p>Before the issue of any construction certificate, the construction certificate plans and specifications, required under clause 7 of the Development Certification and Fire Safety Regulation, must include detailed professional engineering plans and/or specifications for all structural, electrical, hydraulic, hydrogeological, geotechnical, mechanical and civil work complying with this consent, approved plans, and supporting documentation. In particular, the geotechnical report must be certified by a Chartered Geotechnical Engineer with NER credentials. Detailed professional engineering plans and/or specifications must be submitted to the Principal Certifier with the application for any construction certificate.</p> <p>Notes:</p> <ul style="list-style-type: none"> • This does not affect the right of the developer to seek staged construction certificates. <p>Condition Reason: To ensure professional engineering details and technical specifications are provided.</p>
<p>D. 9.</p>	<p>Engineer Certification</p> <p>Before the issue of any construction certificate, engineer certification must be submitted to the Principal Certifier confirming that the structural design does not incorporate any temporary or permanent underpinning works or ground anchors, bolts, etc. which encroach outside the boundaries of the subject property.</p> <p>This development consent does NOT give approval to any works outside the boundaries of the subject property including any underpinning works to any structures on adjoining properties and Council’s property.</p> <p>Condition Reason: To ensure certification is provided that demonstrates all structural works are located within the boundaries of the site and do not include underpinning works to any structures on adjoining properties.</p>
<p>D. 10.</p>	<p>Geotechnical and Hydrogeological Design, Certification and Monitoring</p> <p>Before the issue of the construction certificate, the applicant must submit, for approval by the Principal Certifier, a detailed geotechnical report prepared by a Geotechnical Engineer with National Engineering Register (NER) credentials in accordance with Chapter E2 of Council’s DCP and Council’s document “Guidelines for Preparation of Geotechnical and Hydrogeological Reports”. The report must include a Geotechnical / Hydrogeological Monitoring Program together with civil and structural engineering details for foundation retaining walls, footings, basement tanking, and subsoil drainage systems, as applicable, prepared by a professional engineer, who is suitably qualified and experienced in geotechnical and hydrogeological engineering.</p> <p><u>Note:</u> the Geotechnical & Hydrogeological Investigation Report referenced within this consent, must be revised to be in accordance with the approved Architectural Plans and the site investigation to extend to at least the likely depth of influence of construction. The report must comply with all requirements within Council’s DCP <u>Section E2.2.10</u> and <u>Attachment 6</u> - <u>Guidelines for Geotechnical and Hydrogeological Reports</u>.</p> <p>These details must be certified by the professional engineer to:</p> <p>a) Provide appropriate support and retention to ensure there will be no ground settlement or movement, during excavation or after construction, sufficient to cause an adverse impact on adjoining property or public infrastructure.</p>

- b) Provide appropriate support and retention to ensure there will be no adverse impact on surrounding property or infrastructure as a result of changes in local hydrogeology (behaviour of groundwater).
- c) Provide foundation tanking prior to excavation such that any temporary changes to the groundwater level, during construction, will be kept within the historical range of natural groundwater fluctuations. Where the historical range of natural groundwater fluctuations is unknown, the design must demonstrate that changes in the level of the natural water table, due to construction, will not exceed 0.3m at any time.
- d) Provide tanking to below ground structures to prevent the entry of seepage water such that subsoil drainage/ seepage water is NOT collected and discharged to the kerb and gutter.
- e) Provide a Geotechnical and Hydrogeological Monitoring Program that:
 - will detect any settlement associated with temporary and permanent works and structures,
 - will detect deflection or movement of temporary and permanent retaining structures (foundation walls, shoring bracing or the like),
 - will detect vibration in accordance with AS 2187.2 Appendix J including acceptable velocity of vibration (peak particle velocity),
 - will detect groundwater changes calibrated against natural groundwater variations,
 - details the location and type of monitoring systems to be utilised,
 - details the pre-set acceptable limits for peak particle velocity and ground water fluctuations,
 - details recommended hold points to allow for the inspection and certification of geotechnical and hydrogeological measures by the professional engineer, and
 - details a contingency plan.

Condition Reason: To ensure that geotechnical and hydrogeological impacts are appropriately managed.

D. 11. Ground Anchors

This development consent does NOT give approval to works or structures over, on or under adjoining properties, public roads and/or footpaths.

Before the issue of any construction certificate, if ground anchors are proposed:

- a) Prior written consent must be obtained from all relevant adjoining property owner(s) for the use of any ground anchors extending beyond the boundaries of the subject property.
- b) The use of permanent ground anchors under Council land is not permitted. Temporary ground anchors under Council's land may be permitted, in accordance with Council's "Rock Anchor Policy", where alternative methods of stabilisation would not be practicable or viable, and where there would be benefits in terms of reduced community impact due to a shorter construction period, reduced disruption to pedestrian and vehicular traffic on adjacent public roads, and a safer working environment.
- c) If temporary ground anchors under Council land are proposed, a separate application, including payment of fees, must be made to Council under Section 138 of the Roads Act 1993. Application forms and Council's "Rock Anchor Policy" are available from Council's website. Approval may be granted subject to conditions of consent. A minimum of four weeks should be allowed for assessment.

Notes:

- To ensure that this work is completed to Council's satisfaction, this consent by separate condition, may impose one or more Infrastructure Works Bonds.

	<ul style="list-style-type: none"> • Road has the same meaning as in the Roads Act 1993. • Clause 17 of the Roads (General) Regulation 2018 prohibits excavation in the vicinity of roads as follows: “Excavations adjacent to road - A person must not excavate land in the vicinity of a road if the excavation is capable of causing damage to the road (such as by way of subsidence) or to any work or structure on the road.” Separate approval is required under the Roads Act 1993 for any underpinning, shoring, soil anchoring (temporary) or the like within or under any road. Council will not give approval to permanent underpinning, shoring, soil anchoring within or under any road. <p>Condition Reason: To ensure the relevant approval is gained for any temporary ground anchors.</p>
<p>D. 12.</p>	<p>Parking Facilities</p> <p>Before the issue of any construction certificate, the construction certificate plans and specifications required under clause 7 of the Development Certification and Fire Safety Regulation, must include detailed plans and specifications for all bicycle, car and commercial vehicle parking in compliance with AS2890.3: Parking Facilities - Bicycle Parking Facilities, AS 2890.6: Parking facilities - Off-street parking for people with disabilities, AS/NZS 2890.1: Parking Facilities - Off-Street Car Parking and AS 2890.2: Off-Street Parking: Commercial Vehicle Facilities respectively and including the following:</p> <ol style="list-style-type: none"> a) Driveway splays must be provided in accordance with Figure 3.3 in Section 3.2.4 of AS/NZS 2890.1:2004. Alternatively a fence/gate/landscaping to a maximum height of 0.9m is permitted in the splay area. Exceptions to this may be accepted where an object in the adjoining property creates an obstruction to visibility within the splay area. b) The gradients of the domestic driveway must be in accordance with the AS/NZS 2890.1:2004 requirements. <p>Access levels and grades must comply with access levels and grades required by Council under the Roads Act 1993.</p> <p>The Principal Certifier has no discretion to reduce or increase the number or area of car parking or commercial parking spaces required to be provided and maintained by this consent.</p> <p>Condition Reason: To ensure parking facilities are designed in accordance with the Australian Standard.</p>
<p>D. 13.</p>	<p>Stormwater Management Plan</p> <p>Before the issue of any construction certificate, the applicant must submit, for approval by the Principal Certifier, detailed stormwater management plans prepared and certified by a chartered professional civil engineer, which detail the following:</p> <ol style="list-style-type: none"> a) General design in accordance with the Stormwater Management Plan, Job No. 21/197, Revision B, prepared by ITM Design, dated 03/04/2024, other than amended by this and other conditions; b) The discharge of stormwater, through inter-allotment drainage easement over proposed Lot 2 (No.27 Vaucluse Road), by direct connection to Council’s belowground drainage system, through a <u>new</u> Kerb Inlet Pit (KIP) fronting No. 27 Vaucluse Road. Council’s existing belowground drainage system, fronting No. 23A Vaucluse Road, must then be extended, to connect to the new KIP fronting the site. An <u>additional</u> second <u>new</u> KIP must also be placed between the two end connections and to the satisfaction of Council’s Asset Engineer.

Note: the 2 new KIPs must be standard double grated gully pits with a 1.8m kerb lintel in accordance with Council's standard drawing DR1 with a minimum clearance of 0.5m from any vehicular crossings. The access grate must be Class D "bicycle-friendly" grate.

Longitudinal sections must be submitted. Design details and location of all existing public utility services must be included in the longitudinal sections.

- c) Creation of an Easement to Drain Water (0.9m wide) over the proposed LOT 2, proposed Lot 1 is to be annotated as the benefiting lot and proposed Lot 2 as the burdening lot, as demonstrated on the DRAFT Deposited Plan, referenced 19329-21 PS V1, prepared by Trent James Vella, dated 7/03/2024.
- d) Subsoil drainage/seepage water is NOT to be collected and discharged to the kerb and gutter, to comply with Chapter E2.2.5 of Council's DCP. Notation to this requirement must be clearly depicted on the drawings.
- e) Dimensions of all drainage pits and access grates must comply with AS3500.3.
- f) Compliance the objectives and performance requirements of the BCA.
- g) Interceptor drain(s) at the site boundary to prevent stormwater flows from the site crossing the footpath; and General compliance with the Woollahra DCP 2015 Chapter E2 – Stormwater and Flood Risk Management.
- h) General compliance with the Council's Woollahra DCP 2015 Chapter E2 – Stormwater and Flood Risk Management.
- i) Provision of an Onsite Stormwater Detention (OSD) System, having a minimum volume of 67.8m³.
 1. Additional access grates for the OSD System must be provided for easy maintenance.
 2. A 900mm x 900mm overflow pit must be provided adjacent to the Discharge Control Pit of the OSD System.

The Stormwater Management Plan must also include the following specific requirements:

Layout plan

A detailed drainage plan at a scale of 1:100 based on drainage calculations prepared in accordance with the Australian Government publication, Australian Rainfall and Run-off, 2019 edition or most current version thereof. It must include:

- a) All pipe layouts, dimensions, grades, lengths and material specification.
- b) Location of proposed Rainwater Tank and OSD System.
- c) All invert levels reduced to Australian Height Datum (AHD).
- d) Location and dimensions of all drainage pits.
- e) Point and method of connection to Councils drainage infrastructure.
- f) Overland flow paths over impervious areas.

On-site Stormwater Detention (OSD) System Details:

- a) Any potential conflict between existing and proposed trees and vegetation.
- b) Internal dimensions and volume of the proposed detention storage.
- c) Diameter of the outlet to the proposed detention storage basin.
- d) Plans, elevations and sections showing the detention storage basin invert level, centre-line level of outlet, top water level, finished surface level and adjacent structures.
- e) Details of access and maintenance facilities.
- f) Construction and structural details of all tanks and pits and/or manufacturer's specifications for proprietary products.
- g) Details of the emergency overland flow-path (to an approved Council drainage point) in the event of a blockage to the on-site detention system.
- h) Non-removable fixing details for orifice plates where used.

Rainwater Reuse System Details:

- a) Any potential conflict between existing and proposed trees and vegetation.

	<p>b) Internal dimensions and volume of the proposed rainwater storage. c) Plans, elevations and sections showing the rainwater tanks, finished surface level and adjacent structures. d) Details of access and maintenance facilities. e) Construction and structural details of all tanks and pits and/or manufacturer's specifications for proprietary products. f) Details of the emergency overland flow-path (to an approved Council drainage point) in the event of a blockage to the rainwater tanks.</p> <p>For Stormwater Drainage works on Council's property, separate approval under Section 138 of the Roads Act 1993 must be obtained from Council for those works before the issue of any construction certificate.</p> <p>All Stormwater Drainage System work within any road or public place must comply with Woollahra Municipal Council's Specification for Roadworks, Drainage and Miscellaneous Works (2012).</p> <p>Notes: The collection, storage and use of rainwater is to be in accordance with Standards Australia HB230 "Rainwater Tank Design and Installation Handbook".</p> <p>Condition Reason: To ensure that site stormwater is disposed of in a controlled and sustainable manner.</p>
<p>D. 14.</p>	<p>Private Drainage Easement</p> <p>Before the issue of any construction certificate, the applicant must submit, for approval by the Principal Certifier, a) Creation of an Easement to Drain Water (0.9m wide) over the proposed LOT 2, proposed Lot 1 is to be annotated as the benefiting lot and proposed Lot 2 as the burdening lot, as demonstrated on the DRAFT Deposited Plan, referenced 19329-21 PS V1, prepared by Trent James Vella, dated 7/03/2024 and the Stormwater Management Plan, Job No. 21/197, Revision B, prepared by ITM Design, dated 03/04/2024.</p> <p>The easement must be created on the certificate of title of all burdened and benefited properties with the terms of the easements specified.</p> <p>The applicant must engage a registered surveyor to prepare a plan of survey and the application must be lodged with the NSW Land Registry Services with any necessary fees. Woollahra Council must be annotated as the Prescribed Authority on the Section 88B Instrument. A copy of the lodgement details must be provided to Council prior to the issue of any Construction Certificate in accordance with Council's Chapter E2 "Stormwater and Flood Risk Management" DCP.</p> <p>Condition Reason: To ensure that site stormwater is disposed of in a controlled and sustainable manner.</p>
<p>D. 15.</p>	<p>Tree Protection Plan and Specification</p> <p>Before the issue of any construction certificate, the Principal Certifier must ensure the measures for tree protection detailed in this consent are in place. The construction certificate plans and specifications must show the following information:</p> <p>a) Trees to be numbered and coloured in accordance with these conditions:</p> <ul style="list-style-type: none"> • shaded green where required to be retained and protected • shaded red where authorised to be removed • shaded yellow where required to be transplanted

	<ul style="list-style-type: none"> • shaded blue where required to be pruned <p>b) Tree Protection Plan and Specification prepared by an arborist with a minimum qualification of AQF 5 including the following:</p> <ul style="list-style-type: none"> • Tree Location Plan (to scale) based on/overlaid with the approved plans, indicating trees to be retained, removed or transplanted, and the location of tree protection zones (TPZ) and structural root zones (SRZ) of trees to be retained and protected. • The plan must also include site specific tree protection recommendations such as fencing, ground and trunk protection and other protection devices. • Tree Protection Specification (written document) with tree protection requirements included from this consent and in accordance with sections 4 & 5 of AS4970, providing guidance for the implementation of tree protection methods. • To minimise construction damage, the plan must show specific areas requiring works to be done under direct supervision of the project arborist. <p>c) References to applicable tree management plan, arborists report or transplant method statement.</p> <p>This plan must be kept on site until the issue of the occupation certificate for the whole building.</p> <p>Condition Reason: To ensure the construction certificate includes the approved tree management details, and all measures are implemented.</p>
<p>D. 16.</p>	<p>Swimming and Spa Pools – Child Resistant Barriers</p> <p>Before the issue of any construction certificate, the construction certificate plans and specifications required under clause 7 of the Development Certification and Fire Safety Regulation, must demonstrate compliance (by showing the proposed location of all child-resistant barriers and the resuscitation sign) with the provisions of the Swimming Pools Act 1992 and the Building Code of Australia.</p> <p>Approval is not granted for the modification of any boundary fencing beyond what is authorised by the stamped approved plans, as modified by any condition of consent or what is permitted to be carried out as ‘exempt development’ under State Environmental Planning Policy (Exempt and Complying Development Codes) 2008.</p> <p>Notes:</p> <ul style="list-style-type: none"> • A statement to the effect that isolation swimming pool fencing complying with AS1926 will be installed does not satisfy this condition. The location of the required barriers and the sign must be detailed upon the construction certificate plans. <p>Condition Reason: To ensure child-resistant swimming and spa pool barriers are provided.</p>
<p>D. 17.</p>	<p>Swimming and Spa Pools – Backwash</p> <p>Before the issue of any construction certificate, the construction certificate plans and specifications required under clause 7 of the Development Certification and Fire Safety Regulation, must detail the connection of backwash to Sydney Waters sewer in compliance with clause 10.9 (Figure 10.2) of AS/NZS 3500.2.2.</p>

	<p>Notes:</p> <ul style="list-style-type: none"> The plans must show the location of Sydney Water’s sewer, the yard gully or any new connection to the sewer system including a detailed cross section of the connection complying with clause 10.9 (Figure 10.2) of AS/NZS 3500.2.2. The discharge of backwash water to any stormwater system is water pollution and an offence under the Protection of the Environment Operations Act 1997. The connection of any backwash pipe to any stormwater system is an offence under the Protection of the Environment Operations Act 1997.
	<p>Condition Reason: To ensure swimming and spa pool backwash is connected to Sydney Waters sewer.</p>
<p>D. 18.</p>	<p>Waste Storage – Single Dwelling</p> <p>Before the issue of any construction certificate, the construction certificate plans and specifications required by clause 7 of the Development Certification and Fire Safety Regulation, must make provision for:</p> <ol style="list-style-type: none"> A storage area for 1 x 120 litre general wastes bin, one x 240 litre green waste bin, two x recycling crates behind the building line or within non-habitable areas of the dwelling. A path for wheeling bins between the waste and recycling storage area and the collection point free of steps and kerbs and having a maximum grade of 1:8. <p>Condition Reason: To ensure a waste and recycling storage area is provided.</p>
<p>D. 19.</p>	<p>Checking Construction Certificate Plans – Protecting Assets Owned by Sydney Water</p> <p>Before the issue of any construction certificate, the approved plans must be submitted to Sydney Water Tap In TM online service to determine whether the development will affect any Sydney Water wastewater and water mains, stormwater drains and/or easement, and any requirements need to be met.</p> <p>The Tap In™ service provides 24/7 access to a range of services, including:</p> <ul style="list-style-type: none"> building plan approvals connection and disconnection approvals diagrams trade waste approvals pressure information water meter installations pressure boosting and pump approvals changes to an existing service or asset, e.g. relocating or moving an asset. <p>Notes:</p> <ul style="list-style-type: none"> For more information go to Sydney Water www.sydneywater.com.au/tapin/index.htm and www.sydneywater.com.au/SW/plumbing-building-developing/building/building-over-or-next-to-assets/index.htm or call 1300 082 746. <p>Condition Reason: To ensure the development meets the requirements of Sydney Water, and protects existing assets owned by Sydney Water.</p>

<p>D. 20.</p>	<p>Light and Ventilation</p> <p>Before the issue of any construction certificate, the construction certificate plans and specifications required under clause 7 of the Development Certification and Fire Safety Regulation, must detail all lighting, mechanical ventilation or air-conditioning systems complying with Part F.4 of the BCA or clause 3.8.4 and 3.8.5 of the BCA Housing Provisions, inclusive of AS 1668.1, AS 1668.2 and AS/NZS 3666.1.</p> <p>If an alternate solution is proposed then the construction certificate application must include a statement as to how the performance requirements of the BCA are to be complied with and support the performance based solution by expert evidence of suitability.</p> <p>This condition does not set aside the mandatory requirements for ‘Legionella Control’ under the Public Health Act 2010 and Public Health Regulation 2022 in relation to regulated systems. This condition does not set aside the effect of the Protection of the Environment Operations Act 1997 in relation to offensive noise or odour.</p> <p>Notes:</p> <ul style="list-style-type: none"> • Clause 69 of the Regulation requires compliance with the BCA. Clause 19 of the Development Certification and Fire Safety Regulation prevents the issue of a construction certificate unless the Principal Certifier is satisfied that compliance has been achieved. • Part 3, Division 1 of the Development Certification and Fire Safety Regulation details what information must be submitted with any construction certificate. It is the Applicant’s responsibility to demonstrate compliance through the construction certificate application process. • Applicants must also consider possible noise and odour nuisances that may arise. The provisions of the Protection of the Environment Operations Act 1997 have overriding effect if offensive noise or odour arises from the use. • Applicants must pay attention to the location of air intakes and air exhausts relative to sources of potentially contaminated air and neighbouring windows and air intakes respectively, see section 2 and 3 of AS 1668.2. <p>Condition Reason: To ensure the development is provided with adequate light and ventilation.</p>
<p>D. 21.</p>	<p>Electric vehicle circuitry and electric vehicle charging point requirements</p> <p>Before the issue of any construction certificate, the construction certificate plans and specifications required under clause 7 of the Development Certification and Fire Safety Regulation, must include an accurate electrical plan of all off-street car parking spaces, prepared by a suitably qualified person, which includes details and specifications to illustrate how the off-street car parking spaces will be constructed with the capacity to install at a minimum, a ‘Level 2’ (single phase, 7Kw power) electric vehicle charger point.</p> <p>Condition Reason: To ensure the provision of electric vehicle circuitry to enable the future installation of electric vehicle charging point(s).</p>

D. 22.	<p>Acoustic Certification of Mechanical Plant and Equipment</p> <p>Before the issue of any construction certificate, the construction certificate plans and specifications required under clause 7 of the Development Certification and Fire Safety Regulation, must be accompanied by a certificate from a professional acoustic engineer certifying that the noise level measured at any boundary of the site at any time while the proposed mechanical plant and equipment is operating will not exceed the background noise level. Where noise sensitive receivers are located within the site, the noise level is measured from the nearest strata, stratum or community title land and must not exceed background noise level, at any time.</p> <p>The background noise level is the underlying level present in the ambient noise, excluding the subject noise source, when extraneous noise is removed. For assessment purposes the background noise level is the LA90, 15 minute level measured by a sound level meter.</p> <p>Where sound attenuation is required this must be detailed.</p> <p>Notes:</p> <ul style="list-style-type: none"> • Further information including lists of Acoustic Engineers can be obtained from: <ul style="list-style-type: none"> - Australian Acoustical Society - professional society of noise-related professional www.acoustics.asn.au - Association of Australian Acoustical Consultant - professional society of noise related professionals www.aaac.org.au <p>Condition Reason: To ensure the development does not result in any unreasonable acoustic impacts.</p>
---------------	--

E. BEFORE BUILDING WORK COMMENCES

E. 1.	<p>Compliance with Building Code of Australia and insurance requirements under the Home Building Act 1989</p> <p>Before any building work commences, and under section 4.17(11) of the Act, the following conditions are prescribed in relation to a development consent for development that involves any building work:</p> <ol style="list-style-type: none"> a) that the work must be carried out in accordance with the requirements of the Building Code of Australia, b) in the case of residential building work for which the Home Building Act 1989 requires there to be a contract of insurance in force in accordance with Part 6 of that Act, that such a contract of insurance is in force before any building work authorised to be carried out by the consent commences. <p>This condition does not apply:</p> <ol style="list-style-type: none"> a) to the extent to which an exemption is in force under the Home Building Regulation 2014, or b) to the erection of a temporary building. <p>In this condition, a reference to the BCA is a reference to that code as in force on the date the application for the relevant Construction Certificate is made.</p> <p>Notes:</p> <ul style="list-style-type: none"> • This condition must be satisfied prior to commencement of any work in relation to the contract of insurance under the Home Building Act 1989. This condition also has effect during the carrying out of all building work with respect to compliance with the Building Code of Australia. • All new guttering is to comply with the provisions of AS3500.
--------------	---

	<p>Condition Reason: To ensure that works are carried out in accordance with the Building Code of Australia and any required contract of insurance is in force.</p>
<p>E. 2.</p>	<p>Building - Construction Certificate, Appointment of Principal Certifier, Appointment of Principal Contractor and Notice of Commencement (Part 6, Division 6.3 of the Act)</p> <p>Building work must not commence, until:</p> <ol style="list-style-type: none"> a) A construction certificate for the building work has been issued by the consent authority, the Council (if the Council is not the consent authority) or an accredited Certifier, and b) The person having the benefit of the development consent has: <ul style="list-style-type: none"> • appointed a Principal Certifier for the building work, and • notified the Principal Certifier that the person will carry out the building work as an Owner-builder, if that is the case, and c) The Principal Certifier has, no later than 2 days before the building work commences: <ul style="list-style-type: none"> • notified the consent authority and the Council (if the Council is not the consent authority) of his or her appointment, and • notified the person having the benefit of the development consent of any critical stage inspections and other inspections that are to be carried out in respect of the building work, and d) The person having the benefit of the development consent, if not carrying out the work as an Owner-builder, has: <ul style="list-style-type: none"> • appointed a Principal Contractor for the building work who must be the holder of a contractor licence if any residential building work is involved, and • notified the Principal Certifier of any such appointment, and • unless that person is the Principal Contractor, notified the Principal Contractor of any critical stage inspections and other inspections that are to be carried out in respect of the building work, and • given at least 2 days' notice to the Council of the person's intention to commence the erection of the building. <p>Notes:</p> <ul style="list-style-type: none"> • Building has the same meaning as in section 1.4 of the Act and includes part of a building and any structure or part of a structure. • New building has the same meaning as in section 6.1 of the Act and includes an altered portion of, or an extension to, an existing building. • The commencement of demolition works associated with an altered portion of, or an extension to, an existing building is considered to be the commencement of building work requiring compliance with section 6.6(2) of the Act (including the need for a Construction Certificate) prior to any demolition work. See: <i>Over our Dead Body Society Inc v Byron Bay Community Association Inc</i> [2001] NSWLEC 125. • Construction Certificate Application, PC Service Agreement and Notice of Commencement forms can be downloaded from Council's website www.woollahra.nsw.gov.au • It is an offence for any person to carry out the erection of a building in breach of this condition and in breach of section 6.6(2) of the Act. • Under the Home Building Act 1989 any property owner who intends undertaking construction work to a dwelling house or dual occupancy to the value of \$12,000 or over must complete an approved education course and obtain an owner-builder permit from NSW Fair Trading. <p>Condition Reason: To ensure a construction certificate has been issued, a Principal Certifier is appointed, a Principal Contractor (if applicable) is appointed, and a notice of commencement has been submitted.</p>

<p>E. 3.</p>	<p>Notification of Home Building Act 1989 requirements</p> <p>Residential building work within the meaning of the Home Building Act 1989 must not be carried out unless the Principal Certifier for the development to which the work relates (not being the Council) has given the Council written notice of the following information:</p> <p>a) In the case of work for which a Principal Contractor is required to be appointed:</p> <ul style="list-style-type: none"> • the name and licence number of the Principal Contractor, and • the name of the insurer by which the work is insured under Part 6 of that Act, <p>b) In the case of work to be done by an Owner-builder:</p> <ul style="list-style-type: none"> • the name of the Owner-builder, and • if the Owner-builder is required to hold an Owner-builder permit under that Act, the number of the Owner-builder permit. <p>If arrangements for doing the residential building work are changed while the work is in progress so that the information notified under subclause (2) becomes out of date, further work must not be carried out unless the Principal Certifier for the development to which the work relates (not being the Council) has given the Council written notice of the updated information.</p> <p>This clause does not apply in relation to Crown building work that is certified, in accordance with section 6.28 of the Act, to comply with the Building Code of Australia.</p> <p>For the purposes of section 4.17(11) of the Act, the requirements of this condition are prescribed as conditions of a development consent for development that involves any residential building work within the meaning of the Home Building Act 1989.</p> <p>Condition Reason: To ensure Council is notified of the Home Building Acts 1989 requirements.</p>
<p>E. 4.</p>	<p>Erosion and Sediment Controls – Installation</p> <p>Before any building work commences, water pollution, erosion and sedimentation controls must be installed and maintained in accordance with:</p> <p>a) The Soil and Water Management Plan if required under this consent;</p> <p>b) “Do it Right On Site, Soil and Water Management for the Construction Industry” and accompanying factsheets published by the Southern Sydney Regional Organisation of Councils, and</p> <p>c) “Managing Urban Stormwater - Soils and Construction” 2004 published by the NSW Government (The Blue Book).</p> <p>Where there is any conflict The Blue Book takes precedence.</p> <p>Notes:</p> <ul style="list-style-type: none"> • The International Erosion Control Association – Australasia (www.austieca.com.au/) lists consultant experts who can assist in ensuring compliance with this condition. • Where Soil and Water Management Plan is required for larger projects it is recommended that this be produced by a member of the International Erosion Control Association – Australasia. • The “Do it Right On Site, Soil and Water Management for the Construction Industry” publication and the accompanying factsheets can be downloaded from www.woollahra.nsw.gov.au and The Blue Book is available at www.environment.nsw.gov.au • A failure to comply with this condition may result in penalty infringement notices, prosecution, notices and orders under the Act and/or the Protection of the Environment Operations Act 1997 without any further warning. It is a criminal offence to cause, permit or allow pollution.

	<ul style="list-style-type: none"> Section 257 of the Protection of the Environment Operations Act 1997 provides inter alia that “the occupier of premises at or from which any pollution occurs is taken to have caused the pollution”. Warning: Irrespective of this condition any person occupying the site may be subject to proceedings under the Protection of the Environment Operations Act 1997 where pollution is caused, permitted or allowed as the result of their occupation of the land being.
	Condition Reason: To prevent potential water pollution and dust nuisance.

F. DURING BUILDING WORK

F. 1.	<p>Compliance with BCA and Insurance Requirements under the Home Building Act 1989</p> <p>While site work is being carried out:</p> <ol style="list-style-type: none"> a) work must be carried out in accordance with the requirements of the Building Code of Australia (BCA), b) in the case of residential building work for which the Home Building Act 1989 requires there to be a contract of insurance in force in accordance with Part 6 of that Act, that such a contract of insurance is in force before any building work authorised to be carried out by the consent commences. <p>This condition does not apply:</p> <ol style="list-style-type: none"> a) to the extent to which an exemption is in force under the Development Certification and Fire Safety Regulations, or b) to the erection of a temporary building. <p>In this clause, a reference to the BCA is a reference to that Code as in force on the date the application for the relevant construction certificate is made.</p> <p>For the purposes of section 4.17(11) of the Act, the above condition is prescribed in relation to a development consent for development that involves any building work.</p> <p>Notes:</p> <ul style="list-style-type: none"> All new guttering is to comply with the provisions of AS 3500. <p>Condition Reason: To ensure compliance with the BCA and Home building Act 1989.</p>
F. 2.	<p>Public Footpaths – Safety, Access and Maintenance</p> <p>While site work is being carried out, any person acting with the benefit of this consent must:</p> <ol style="list-style-type: none"> a) Not erect or maintain any gate or fence that swings out, or encroaches upon the road or the footway. b) Not use the road or footway for the storage of any article, material, matter, waste or thing. c) Not use the road or footway for any work. d) Keep the road and footway in good repair free of any trip hazard or obstruction. e) Any damage caused to the road, footway, vehicular crossing, nature strip or any public place must be immediately made safe and then repaired, to the satisfaction of Council. f) Not stand any plant and equipment upon the road or footway.

- g) If it is proposed to locate any site fencing, hoardings, skip bins or other articles upon any part of the footpath, nature strip or any public place, or operate a crane, hoist or concrete pump on or over Council land, an application must be submitted to and approved by Council beforehand.
- h) Provide a clear safe pedestrian route a minimum of 1.5m wide.
- i) Protect heritage listed street name inlays located in the footpath, kerb and gutter, and any other structure, to ensure they are not removed or damaged during development.

This condition does not apply to the extent that a permit or approval exists under the section 148B of the Road Transport Act 2013, section 138 of the Roads Act 1993 or section 68 of the Local Government Act 1993 except that at all time compliance is required with:

- a) Australian Standard AS 1742 (Set): Manual of uniform traffic control devices and all relevant parts of this set of standards.
- b) Australian Road Rules.

Notes:

- Section 148B of the Road Transport Act 2013 allows the NSW Police to close any road or road related area to traffic during any temporary obstruction or danger to traffic or for any temporary purpose.
- Section 138 of the Roads Act 1993 provides that a person must not:
 - erect a structure or carry out a work in, on or over a public road, or
 - dig up or disturb the surface of a public road, or
 - remove or interfere with a structure, work or tree on a public road, or
 - pump water into a public road from any land adjoining the road, or
 - connect a road (whether public or private) to a classified road,
 - otherwise than with the consent of the appropriate roads authority.
- Section 68 of the Local Government Act 1993 provides that a person may carry out certain activities only with the prior approval of the Council including:
 - Part C Management of waste:
 - a) For fee or reward, transport waste over or under a public place
 - b) Place waste in a public place
 - c) Place a waste storage container in a public place.
 - Part E Public roads:
 - a) Swing or hoist goods across or over any part of a public road by means of a lift, hoist or tackle projecting over the footway
 - b) Expose or allow to be exposed (whether for sale or otherwise) any article in or on or so as to overhang any part of the road or outside a shop window or doorway abutting the road, or hang an article beneath an awning over the road.

Condition Reason: To ensure safe access is maintained to footpaths and roads during building works.

Condition Reason: To ensure that the support of adjoining land is not removed.

Condition Reason: To monitor and manage vibration impacts from development.

F. 3. Critical Stage Inspections

While site work is being carried out, critical stage inspections must be called for by the Principal Contractor or Owner-builder as required by the Principal Certifier, any PC service agreement, the Act, the Development Certification and Fire Safety Regulation, and the Regulation.

Work must not proceed beyond each critical stage until the Principal Certifier is satisfied that work is proceeding in accordance with this consent, the construction certificate(s) and the Act.

Critical stage inspections means the inspections prescribed by the Development Certification and Fire Safety Regulations, and Regulations for the purposes of section 6.5 of the Act or as required by the Principal Certifier and any PC Service Agreement.

Notes:

- The Principal Certifier may require inspections beyond mandatory critical stage inspections in order that the Principal Certifier be satisfied that work is proceeding in accordance with this consent.
- The Principal Certifier may, in addition to inspections, require the submission of Compliance Certificates, survey reports or evidence of suitability in accordance with Part A2G2 of the BCA in relation to any matter relevant to the development.

Condition Reason: To ensure that building work progresses in accordance with the approved plans, conditions of consent, and requirements of the act.

F. 4. Hours of Work –Amenity of the Neighbourhood

While site work is being carried out:

- a) No work must take place on any Sunday or public holiday.
- b) No work must take place before 7am or after 5pm any weekday.
- c) No work must take place before 7am or after 1pm any Saturday.
- d) The following work must not take place before 9am or after 4pm any weekday, or before 9am or after 1pm any Saturday or at any time on a Sunday or public holiday:
 - i. piling,
 - ii. piling,
 - iii. rock or concrete cutting, boring or drilling,
 - iv. rock breaking,
 - v. rock sawing,
 - vi. jack hammering, or
 - vii. machine excavation.
- e) No loading or unloading of material or equipment associated with the activities listed in part d) above must take place before 9am or after 4pm any weekday, or before 9am or after 1pm any Saturday or at any time on a Sunday or public holiday.
- f) No operation of any equipment associated with the activities listed in part d) above must take place before 9am or after 4pm any weekday, or before 9am or after 1pm any Saturday or at any time on a Sunday or public holiday.
- g) No rock excavation being cutting, boring, drilling, breaking, sawing , jack hammering or bulk excavation of rock, must occur without a 15 minute interval break within every hour.

Notes:

- The use of noise and vibration generating plant and equipment and vehicular traffic, including trucks in particular, significantly degrade the amenity of neighbourhoods and more onerous restrictions apply to these activities. This more invasive work generally occurs during the foundation and bulk excavation stages of development. If you are in doubt as to whether or not a particular activity is considered to be subject to the more onerous requirement (9am to 4pm weekdays and 9am to 1pm Saturdays) please consult with Council.
- Each and every breach of this condition by any person may be subject to a separate penalty infringement notice or prosecution.

	<ul style="list-style-type: none"> The delivery and removal of plant, equipment and machinery associated with wide loads subject to Transport for NSW and NSW Police restrictions on their movement outside the approved hours of work will be considered on a case by case basis. Compliance with these hours of work does not affect the rights of any person to seek a remedy to offensive noise as defined by the Protection of the Environment Operations Act 1997, the Protection of the Environment Operations (Noise Control) Regulation 2017. NSW EPA Noise Guide is available at www.epa.nsw.gov.au/noise/nglg.htm <p>Condition Reason: To mitigate the impact of work upon the amenity of the neighbourhood.</p>
<p>F. 5.</p>	<p>Maintenance of Environmental Controls</p> <p>While site work is being carried out, the following monitoring, measures and controls must be maintained:</p> <ol style="list-style-type: none"> erosion and sediment controls, dust controls, dewatering discharges, noise controls, vibration monitoring and controls, and ablutions. <p>Condition Reason: To ensure that environmental controls are maintained during building works to protect the public and surrounding environment.</p>
<p>F. 6.</p>	<p>Compliance with Geotechnical / Hydrogeological Monitoring Program</p> <p>While site work is being carried out, excavation must be undertaken in accordance with the recommendations of the Geotechnical / Hydrogeological Monitoring Program and any oral or written direction of the supervising professional engineer.</p> <p>The Principal Contractor and any sub-contractor must strictly follow the Geotechnical / Hydrogeological Monitoring Program for the development including, but not limited to:</p> <ol style="list-style-type: none"> the location and type of monitoring systems to be utilised, recommended hold points to allow for inspection and certification of geotechnical and hydrogeological measures by the professional engineer, and the contingency plan. <p>Notes:</p> <ul style="list-style-type: none"> The consent authority cannot require that the author of the geotechnical/hydrogeological report submitted with the development application to be appointed as the professional engineer supervising the work however, it is the Council's recommendation that the author of the report be retained during the construction stage. <p>Condition Reason: To ensure the geotechnical and/or hydrogeological impacts of the development are appropriately managed.</p>
<p>F. 7.</p>	<p>Support of Adjoining Land and Buildings</p> <p>While site work is being carried out, a person must not to do anything on or in relation to the site (the supporting land) that removes the support provided by the supporting land to any other land (the supported land) or building (the supported building).</p>

For the purposes of this condition, supporting land includes the natural surface of the site, the subsoil of the site, any water beneath the site, and any part of the site that has been reclaimed.

Notes:

- This condition does not authorise any trespass or encroachment upon any adjoining or supported land or building whether private or public. Where any underpinning, shoring, soil anchoring (temporary or permanent) or the like is considered necessary upon any adjoining or supported land by any person the Principal Contractor or Owner-builder must obtain:
 - the consent of the owners of such adjoining or supported land to trespass or encroach, or
 - an access order under the Access to Neighbouring Land Act 2000, or
 - an easement under section 88K of the Conveyancing Act 1919, or
 - an easement under section 40 of the Land and Environment Court Act 1979 as appropriate.
- Section 177 of the Conveyancing Act 1919 creates a statutory duty of care in relation to support of land. Accordingly, a person has a duty of care not to do anything on or in relation to land being developed (the supporting land) that removes the support provided by the supporting land to any other adjoining land (the supported land).
- Clause 17 of the Roads Regulation 2018 prohibits excavation in the vicinity of roads as follows: "Excavations adjacent to road - A person must not excavate land in the vicinity of a road if the excavation is capable of causing damage to the road (such as by way of subsidence) or to any work or structure on the road." Separate approval is required under the Roads Act 1993 for any underpinning, shoring, soil anchoring (temporary) or the like within or under any road. Council will not give approval to permanent underpinning, shoring, soil anchoring within or under any road.
- The encroachment of work or the like is a civil matter of trespass or encroachment and Council does not adjudicate or regulate such trespasses or encroachments except in relation to encroachments upon any road, public place, Crown land under Council's care control or management, or any community or operational land as defined by the Local Government Act 1993.

Condition Reason: To ensure that the support of adjoining land is not removed.

F. 8. Vibration Monitoring

While site work is being carried out, vibration monitoring equipment must be installed and maintained, under the supervision of a professional engineer with expertise and experience in geotechnical engineering, between any potential source of vibration and any building identified by the professional engineer as being potentially at risk of movement or damage from settlement and/or vibration during the excavation and during the removal of any excavated material from the land being developed.

If vibration monitoring equipment detects any vibration at the level of the footings of any adjacent building exceeding the peak particle velocity adopted by the professional engineer as the maximum acceptable peak particle velocity an audible alarm must activate such that the Principal Contractor and any sub-contractor are easily alerted to the event.

Where any such alarm triggers all excavation works must cease immediately. Prior to the vibration monitoring equipment being reset by the professional engineer and any further work recommencing the event must be recorded and the cause of the event identified and documented by the professional engineer.

	<p>Where the event requires, in the opinion of the professional engineer, any change in work practices to ensure that vibration at the level of the footings of any adjacent building does not exceed the peak particle velocity adopted by the professional engineer as the maximum acceptable peak particle velocity these changes in work practices must be documented and a written direction given by the professional engineer to the Principal Contractor and any sub-contractor clearly setting out required work practice.</p> <p>The Principal Contractor and any sub-contractor must comply with all work directions, verbal or written, given by the professional engineer.</p> <p>A copy of any written direction required by this condition must be provided to the Principal Certifier within 24 hours of any event.</p> <p>Where there is any movement in foundations such that damaged is occasioned to any adjoining building or such that there is any removal of support to supported land the professional engineer, Principal Contractor and any sub-contractor responsible for such work must immediately cease all work, inform the owner of that supported land and take immediate action under the direction of the professional engineer to prevent any further damage and restore support to the supported land.</p> <p>Notes:</p> <ul style="list-style-type: none"> • Professional engineer has the same mean as in Schedule 1 of the BCA. • Building has the same meaning as in section 1.4 of the Act i.e. “building includes part of a building and any structure or part of a structure....” • Supported land has the same meaning as in the Conveyancing Act 1919. <p>Condition Reason: To monitor and manage vibration impacts from development.</p>
<p>F. 9.</p>	<p>Erosion and Sediment Controls – Maintenance</p> <p>While site work is being carried out, water pollution, erosion, and sedimentation controls must be maintained in accordance with:</p> <ol style="list-style-type: none"> a) the Soil and Water Management Plan required under this consent, b) “Do it Right On Site, Soil and Water Management for the Construction Industry” and the accompanying factsheets published by the Southern Sydney Regional Organisation of Councils, and c) “Managing Urban Stormwater - Soils and Construction” 2004 published by the NSW Government (The Blue Book). <p>Where there is any conflict The Blue Book takes precedence.</p> <p>Notes:</p> <ul style="list-style-type: none"> • A failure to comply with this condition may result in penalty infringement notices, prosecution, notices and orders under the Act and/or the Protection of the Environment Operations Act 1997 without any further warning. It is a criminal offence to cause, permit or allow pollution. • Section 257 of the Protection of the Environment Operations Act 1997 provides that “the occupier of premises at or from which any pollution occurs is taken to have caused the pollution”. • Warning: Irrespective of this condition any person occupying the site may be subject to proceedings under the Protection of the Environment Operations Act 1997 where pollution is caused, permitted or allowed as the result of the occupation of the land being developed whether or not they actually cause the pollution. <p>Condition Reason: To prevent potential water pollution and dust nuisance.</p>

<p>F. 10.</p>	<p>Disposal of Site Water During Construction</p> <p>While site work is being carried out:</p> <ol style="list-style-type: none"> a) Prior to pumping any water into the road or public stormwater system, approval must be obtained from Council under section 138(1)(d) of the Roads Act 1993. b) Water pollution, as defined by the Protection of the Environment Operations Act 1997, must not occur as the result of the discharge to the road, public stormwater system or other place of any site water. c) That stormwater from any roof or other impervious areas is linked, via temporary downpipes and stormwater pipes, to a Council approved stormwater disposal system immediately upon completion of the roof installation or work creating other impervious areas. <p>Condition Reason: To ensure that adjoining and neighbouring land is not adversely affected by unreasonable overland flows of stormwater and that site water does not cause erosion and water pollution.</p>
<p>F. 11.</p>	<p>Filling of Site</p> <p>While site work is being carried out, to the extent that this consent permits filling of the site, such fill must be virgin excavated natural material (“VENM”).</p> <p>Notes:</p> <ul style="list-style-type: none"> • Under Schedule 1 of the Protection of the Environment Operations Act 1997 “virgin excavated natural material” means natural material (such as clay, gravel, sand, soil or rock fines): <ul style="list-style-type: none"> - that has been excavated or quarried from areas that are not contaminated with manufactured chemicals, or with process residues, as a result of industrial, commercial, mining or agricultural activities, and - that does not contain any sulfidic ores or soils or any other waste, and includes excavated natural material that meets such criteria for virgin excavated natural material as may be approved for the time being under an EPA Gazettal notice. • Sulfidic ores and soils are commonly known as acid sulfate soils. • If a person transports waste to a place (the site) that cannot lawfully be used as a waste facility for that waste: (a) the person, and, (b) if the person is not the owner of the waste, the owner, are each guilty of an offence under section 143 of the Protection of the Environment Operations Act 1997. • A person who is the owner or occupier (principal contractor) of any land that cannot lawfully be used as a waste facility and who permits the land to be used as a waste facility is guilty of an offence under section 144 of the Protection of the Environment Operations Act 1997. • Additional information is available from the NSW Environment Protection Authority website. <p>Condition Reason: To ensure that waste material is not used as fill.</p>
<p>F. 12.</p>	<p>Site Cranes</p> <p>While site work is being carried out, site crane(s) and hoist(s) may be erected within the boundary of the land being developed subject to compliance with Australian Standards AS 1418, AS 2549 and AS 2550 and all relevant parts to these standards.</p> <p>Cranes must not swing or hoist over any public place unless the relevant approvals have been obtained under the Local Government Act 1993, Crown Lands Act 1989 or Roads Act 1993.</p> <p>The crane must not be illuminated outside approved working hours other than in relation to safety beacons required by the Civil Aviation Safety Authority under the Civil Aviation Act 1988 (Cth).</p>

	<p>No illuminated sign(s) must be erected upon or displayed upon any site crane.</p> <p>Notes:</p> <ul style="list-style-type: none"> • Where it is proposed to swing a crane over a public place a separate application to Council must be made under section 68 of the Local Government Act 1993 and obtain activity approval from Council prior to swinging or hoisting over the public place. • Where it is proposed to swing a crane over private land the consent of the owner of that private land is required. Alternatively, an access order under the Access to Neighbouring Land Act 2000 or easement under section 88K of the Conveyancing Act 1919 or section 40 of the Land and Environment Court Act 1979 as appropriate must be obtained. The encroachment of cranes or the like is a civil matter of trespass and encroachment. Council does not adjudicate or regulate such trespasses or encroachments.
	<p>Condition Reason: To ensure site cranes are used safely with the relevant approvals.</p>
<p>F. 13.</p>	<p>Check Surveys - boundary location, building location, building height, stormwater drainage system and flood protection measures relative to Australian Height Datum</p> <p>While site work is being carried out, a registered surveyor must carry out check surveys and provide survey certificates confirming the location of the building(s), ancillary works, flood protection works and the stormwater drainage system relative to the boundaries of the site and that the height of buildings, ancillary works, flood protection works and the stormwater drainage system relative to Australian Height Datum complies with this consent at the following critical stages.</p> <p>Work must not proceed beyond each of the following critical stages until compliance has been demonstrated to the Principal Certifier's satisfaction:</p> <ol style="list-style-type: none"> Upon the completion of foundation walls prior to the laying of any floor or the pouring of any floor slab and generally at damp proof course level. Upon the completion of formwork for floor slabs prior to the laying of any floor or the pouring of any concrete and generally at each storey. Upon the completion of formwork or framework for the roof(s) prior to the laying of any roofing or the pouring of any concrete roof. Upon the completion of formwork and steel fixing prior to pouring of any concrete for any ancillary structure, flood protection work, swimming pool or spa pool or the like. Upon the completion of formwork and steel fixing prior to pouring of any concrete for driveways showing transitions and crest thresholds confirming that driveway levels match Council approved driveway crossing levels and minimum flood levels. Stormwater drainage Systems are in place prior to back filling over pipes confirming location, height and capacity of works. Flood protection measures are in place confirming location, height and capacity. <p>Condition Reason: To ensure that development occurs in the location and at the height approved under this consent, which is critical to ensure that buildings are constructed to minimum heights for flood protection and maximum heights to protect views and the amenity of neighbours.</p>
<p>F. 14.</p>	<p>Compliance with Council's Specification for Roadworks, Drainage and Miscellaneous Works, Road Works and, Work within the Road and Footway</p> <p>While site work is being carried out, all work carried out on assets which are under Council ownership or will revert to the ownership, care, control or management of Council in connection with the development to which this consent relates must comply with Council's Specification for Roadworks, Drainage and Miscellaneous Works (2012).</p>

	<p>The person with the benefit of this consent must meet all costs associated with such works.</p> <p>This condition does not set aside the need to obtain relevant approvals under the Roads Act 1993 or Local Government Act 1993 for works within roads and other public places.</p> <p>Notes:</p> <ul style="list-style-type: none"> A copy of Council’s Specification for Roadworks, Drainage and Miscellaneous Works can be downloaded from Council’s website www.woollahra.nsw.gov.au <p>Condition Reason: To ensure that any road, drainage, or miscellaneous works comply with Council’s specifications.</p>
<p>F. 15.</p>	<p>Placement and Use of Skip Bins</p> <p>While site work is being carried out, all waste storage containers, including but not limited to skip bins, must be stored within the site unless:</p> <p>a) Activity Approval has been issued by Council under section 68 of the Local Government Act 1993 to place the waste storage container in a public place; and b) where located on the road it is located only in a positions where a vehicle may lawfully park in accordance with the Australian Road Rules.</p> <p>Notes:</p> <ul style="list-style-type: none"> Waste storage containers must not be located on the footpath without a site specific activity approval. Where such site specific activity approval is granted a 1.5m wide clear path of travel is maintained free of any trip hazards. <p>Condition Reason: To ensure waste storage containers are appropriately located.</p>
<p>F. 16.</p>	<p>Prohibition of Burning</p> <p>While site work is being carried out, there must be no burning of any waste or other materials. The burning of copper chrome arsenate (CCA) or pentachlorophenol (PCP) treated timber is prohibited in all parts of NSW. All burning is prohibited in the Woollahra local government area.</p> <p>Notes:</p> <ul style="list-style-type: none"> Under the Protection of the Environment Operations (Clean Air) Regulation 2021 all burning (including burning of vegetation and domestic waste) is prohibited except with approval. No approval is granted under this consent for any burning. <p>Condition Reason: To ensure no burning of waste occurs.</p>
<p>F. 17.</p>	<p>Dust Mitigation</p> <p>While site work is being carried out, dust mitigation must be implemented in accordance with “Dust Control - Do it right on site” and the accompanying facts sheets published by the Southern Sydney Regional Organisation of Councils.</p> <p>This generally requires:</p> <p>a) Dust screens to all hoardings and site fences. b) All stockpiles or loose materials to be covered when not being used. c) All equipment, where capable, being fitted with dust catchers. d) All loose materials being placed bags before placing into waste or skip bins. e) All waste and skip bins being kept covered when not being filled or emptied.</p>

	<p>f) The surface of excavation work being kept wet to minimise dust. g) Landscaping incorporating trees, dense shrubs and grass being implemented as soon as practically possible to minimise dust.</p> <p>Notes:</p> <ul style="list-style-type: none"> • “Dust Control - Do it right on site” and the accompanying factsheets can be downloaded from Council’s website www.woollahra.nsw.gov.au • Special precautions must be taken when removing asbestos or lead materials from development sites. Additional information can be obtained from www.safework.nsw.gov.au and www.epa.nsw.gov.au. Other specific conditions and advice may apply. • Demolition and construction activities may affect local air quality and contribute to urban air pollution. The causes are dust, smoke and fumes coming from equipment or activities, and airborne chemicals when spraying for pest management. Precautions must be taken to prevent air pollution. <p>Condition Reason: To mitigate the impact of dust upon the amenity of the neighbourhood and prevent water pollution.</p>
<p>F. 18.</p>	<p>Swimming and Spa Pools – Temporary Child Resistant Barriers and other Matters</p> <p>While site work is being carried out, temporary child-resistant barriers must be installed in compliance with the Swimming Pools Act 1992 and Building Code of Australia where any swimming pool or spa pool, as defined by the Swimming Pools Act 1992, contains more than 300mm in depth of water at any time.</p> <p>Permanent child-resistant barriers must be installed in compliance with the Swimming Pools Act 1992 and the Building Code of Australia as soon as practical.</p> <p>Backwash and any temporary dewatering from any swimming pool or spa pool as defined by the Swimming Pools Act 1992 must be discharged to the sewer in compliance with clause 10.9 (Figure 10.2) of AS/NZS 3500.</p> <p>Notes:</p> <ul style="list-style-type: none"> • This condition does not prevent Council from issuing an order under section 23 of the Swimming Pool Act 1992 or taking such further action as necessary for a breach of this condition or the Swimming Pools Act 1992. <p>Condition Reason: To ensure access to swimming pools is effectively restricted to maintain child safety.</p>
<p>F. 19.</p>	<p>Site Waste Minimisation and Management – Demolition</p> <p>While site work is being carried out, in order to maximise resource recovery and minimise residual waste from demolition activities:</p> <ol style="list-style-type: none"> an area is to be allocated for the storage of materials for use, recycling and disposal (giving consideration to slope, drainage, location of waterways, stormwater outlets, vegetation and access and handling requirements), separate collection bins and/or areas for the storage of residual waste are to be provided, the purpose and content of the bins and/or storage areas are to be clearly ‘signposted’, measures to prevent damage by the elements, odour, health risks and windborne litter are to be implemented, and site disturbance must be minimised, and unnecessary excavation limited.

	<p>When implementing the SWMMP the Applicant must ensure:</p> <ol style="list-style-type: none"> a) footpaths, public reserves and street gutters are not used as places to store demolition waste or materials of any kind without Council approval, b) any material moved offsite is transported in accordance with the requirements of the Protection of the Environment Operations Act 1997, c) waste is only transported to a place that can lawfully be used as a waste facility, d) generation, storage, treatment and disposal of hazardous waste and special waste (including asbestos) is conducted in accordance with relevant waste legislation administered by the NSW Environment Protection Authority, and relevant occupational health and safety legislation administered by SafeWork NSW, and e) evidence such as weighbridge dockets and invoices for waste disposal or recycling services are retained. <p>Notes:</p> <ul style="list-style-type: none"> • Materials that have an existing reuse or recycling market must not be disposed of in a land fill. Reuse and recycling opportunities are decreased when asbestos is not carefully removed and segregated from other waste streams. <p>Condition Reason: To maximise resource recovery and minimise residual waste from demolition activities.</p>
<p>F. 20.</p>	<p>Site Waste Minimisation and Management – Construction</p> <p>While site work is being carried out, in order to maximise resource recovery and minimise residual waste from construction activities:</p> <ol style="list-style-type: none"> a) deliveries of materials must be arranged so that materials are delivered ‘as needed’ to prevent the degradation of materials through weathering and moisture damage, b) consideration must be given to returning excess materials to the supplier or manufacturer, c) an area must be allocated for the storage of materials for use, recycling and disposal (considering slope, drainage, location of waterways, stormwater outlets and vegetation), d) the purpose and content of the storage areas must be clearly ‘signposted’, e) contractors must be arranged for the transport, processing and disposal of waste and recycling and all contractors must be aware of the legal requirements for disposing of waste, f) separate collection bins or areas for the storage of residual waste must be promoted, g) measures to prevent damage by the elements, odour and health risks, and windborne litter must be implemented, h) site disturbance must be minimised and unnecessary excavation limited, i) all waste must be transported to a place that can lawfully be used as a waste facility, and j) records demonstrating lawful disposal of waste must be retained and kept readily accessible for inspection by regulatory authorities such as Council, the NSW EPA or SafeWork NSW. <p>Condition Reason: To maximise resource recovery and minimise residual waste from construction activities.</p>
<p>F. 21.</p>	<p>Asbestos Removal</p> <p>While site work is being carried out, all asbestos removal work must be carried out safely according to NSW work health and safety legislation.</p>

	<p>Where hazardous material, including bonded or friable asbestos has been identified in accordance with the conditions in Section B above, and such material must be demolished, disturbed and subsequently removed, all such works must comply with the following criteria:</p> <ol style="list-style-type: none"> a) Be undertaken by contractors who hold a current SafeWork NSW “demolition licence” and a current SafeWork NSW “Class A licence” for friable asbestos removal. b) Be carried out in accordance with the relevant SafeWork NSW codes of practice. c) No asbestos products may be reused on the site. d) No asbestos laden skip or bins must be left in any public place. <p>Notes:</p> <ul style="list-style-type: none"> • Before starting work, a work site-specific permit approving each asbestos project must be obtained from SafeWork NSW. A permit will not be granted without a current SafeWork licence. • All removal, repair or disturbance of or to asbestos material must comply with: <ul style="list-style-type: none"> - Work Health and Safety Act 2011, - Work Health and Safety Regulation 2017, - SafeWork NSW “Code of Practice: How to Safely Remove Asbestos” (2016), and - SafeWork NSW “Code of Practice: How to Manage and Control Asbestos in the Workplace” (2016). • For more information go to the SafeWork NSW website on asbestos www.safework.nsw.gov.au/health-and-safety/safety-topics-a-z/asbestos, and www.safework.nsw.gov.au/law-and-policy/legislation-and-codes/codes-of-practice or call 131 050
	<p>Condition Reason: To ensure the safe removal of asbestos and protect the health and safety of persons working on the site and the public.</p>
<p>F. 22.</p>	<p>Classification of Hazardous Waste</p> <p>While site work is being carried out, and prior to the exportation of hazardous waste (including hazardous fill or soil) from the site, the waste materials must be classified in accordance with the provision of the Protection of the Environment Operations Act 1997 and the NSW EPA Waste Classification Guidelines, Part1: Classifying Waste, 2014.</p> <p>Condition Reason: To ensure that where hazardous waste will be removed from a site an asbestos licensed contractor can definitively determine where the waste may be legally taken for disposal.</p>
<p>F. 23.</p>	<p>Disposal of Asbestos and Hazardous Waste</p> <p>While site work is being carried out, asbestos and hazardous waste, once classified in accordance with the hazardous waste classification condition must only be transported to waste facilities licensed to accept asbestos and appropriate classifications of hazardous waste.</p> <p>Condition Reason: To ensure that asbestos and other hazardous waste is disposed of lawfully under the Protection of the Environment Operations Act 1997 and relevant NSW EPA requirements.</p>

<p>F. 24.</p>	<p>Asbestos Removal Signage</p> <p>While site work is being carried out and when asbestos is being removed, standard commercially manufactured signs containing the words "DANGER ASBESTOS REMOVAL IN PROGRESS" measuring not less than 400mm x 300mm are to be erected in prominent visible positions on the site.</p> <p>Condition Reason: To ensure awareness of any hazard to the health and safety of persons working on the site and public.</p>
<p>F. 25.</p>	<p>Notification of Asbestos Removal</p> <p>While site work is being carried out, in addition to the requirements for licensed asbestos removalists to give written notice to SafeWork NSW, all adjoining properties and those opposite the development site must be notified in writing of the dates and times when asbestos removal is to be conducted.</p> <p>The notification is to identify the licensed asbestos removal contractor and include a contact person for the site together with telephone and facsimile numbers and email addresses.</p> <p>Condition Reason: To ensure that local residents are informed and have adequate contact details for incidents of asbestos removal.</p>
<p>F. 26.</p>	<p>Archaeological Features – Unexpected Findings</p> <p>While site work is being carried out, if a person reasonably suspects archaeological features are discovered, work must cease immediately in the affected area(s) and the Heritage Council must be notified.</p> <p>Site work may recommence at a time confirmed in writing by the Heritage Council or its delegate.</p> <p>Additional assessment and approval under the Heritage Act 1977 may be required prior to works continuing in the affected area(s) based on the nature of the discovery.</p> <p>Notes:</p> <ul style="list-style-type: none"> • Definition of archaeological feature as per the NSW Heritage Manual: Any physical evidence of past human activity. • Archaeological features include buildings, works, relics, structures, foundations, deposits, cultural landscapes and shipwrecks. • During an archaeological excavation the term 'feature' may be used in a specific sense to refer to any item that is not a structure, a layer or an artefact (for example, a post hole). <p>Condition Reason: To protect archaeological features.</p>
<p>F. 27.</p>	<p>Skeletal Remains</p> <p>While site work is being carried out, if any skeletal remains suspected of being human are found, work must cease immediately and no further disturbance of the site must occur. The following must be notified:</p> <ol style="list-style-type: none"> a) NSW Police, and b) The person who is the authority for the protection of Aboriginal objects under the National Parks and Wildlife Act 1974, section 85. <p>Details of the remains and their precise location are to be provided.</p>

	<p>Site work may recommence at a time confirmed in writing by the NSW Police and the person who is the authority for the protection of Aboriginal objects under the National Parks and Wildlife Act 1974, section 85.</p>
	<p>Condition Reason: To ensure the appropriate management of skeletal remains.</p>
<p>F. 28.</p>	<p>Aboriginal Objects – Unexpected Findings</p> <p>While site work is being carried out, if unexpected Aboriginal objects or bones are found, you must:</p> <ol style="list-style-type: none"> a) Not further disturb or move these objects or bones. b) Immediately cease all work at the particular location. c) In the case of suspected human remains, notify NSW Police. d) Notify the Heritage NSW Environment Line on 131 555 and the La Perouse Land Council (LALC) on (02) 9311 4282 as soon as practicable and provide available details of the objects or remains and their location. e) Notify the person who is the authority for the protection of Aboriginal objects under the National Parks and Wildlife Act 1974, section 85. f) Not recommence any work at the particular location unless authorised in writing by the police (in the case of human remains) and the person who is the authority for the protection of Aboriginal objects under the National Parks and Wildlife Act 1974, section 85. Additional assessment and approval under the National Parks and Wildlife Act 1974 may be required prior to works continuing in the affected area(s) based on the nature of the discovery. <p>Notes:</p> <ul style="list-style-type: none"> • The Definition of Aboriginal object, as per the National Parks & Wildlife Act 1974, is any deposit, object or other material evidence (not being a handicraft made for sale) relating to the Aboriginal habitation of an area of New South Wales, being habitation before or concurrent with (or both) the occupation of that area by persons of non-Aboriginal extraction, and includes Aboriginal remains. <p>Condition Reason: To protect Aboriginal objects</p>
<p>F. 29.</p>	<p>Salvaging of building materials</p> <p>Stone, brick, timber weatherboards, joinery and decorative architectural elements to be demolished must be catalogued, labelled, salvaged and where possible reused on the project.</p> <p>Salvaged building materials surplus to the project must either be stored on site for future reuse, or transferred to an established second building material dealer for recycling.</p> <p>Condition Reason: To promote the use of ecologically sustainable building materials in accordance with O2 of Clause E6.1.4 Woollahra DCP 2015 and to enable the conservation of heritage buildings in accordance with the Woollahra LEP 2014, Clause 5.10 Heritage Conservation, 1(a), (b).</p>

<p>F. 30.</p>	<p>Tree Preservation</p> <p>While site work is being carried out, all persons must comply with Chapter E.3 – <i>Tree Management</i> of Council’s Development Control Plan (DCP) 2015, other than where varied by this consent. The DCP applies to any tree with a height greater than 5 metres or a diameter spread of branches greater than 3 metres.</p> <p>General Protection Requirements:</p> <ol style="list-style-type: none"> The tree protection measures must be maintained during all development work unless otherwise specified within these conditions of consent. Excavation must cease where tree roots with a diameter exceeding 50mm are exposed. The principal contractor must procure an inspection of the exposed tree roots by an arborist with a minimum AQF Level 5 qualification. Excavation must only recommence with the implementation of the recommendations of the arborist. Where there is damage to any part of a tree the principal contractor must procure an inspection of the tree by a qualified arborist immediately. The principal contractor must immediately implement treatment as directed by the arborist. The arborist is to supply a detailed report to the appointed certifier. <p>Trees must be pruned in accordance with Australian Standard AS 4373 “Pruning of Amenity Trees” and WorkCover NSW Code of Practice Amenity Tree Industry.</p> <p>Condition Reason: To protect trees during the carrying out of sitework.</p>				
<p>F. 31.</p>	<p>Arborists Documentation and Compliance Checklist</p> <p>While site work is being carried out, the project arborist must provide written certification that all tree protection measures and construction techniques relevant to this consent have been implemented. Documentation for each site visit must include:</p> <ol style="list-style-type: none"> a record of the condition of trees to be retained prior to and throughout development, recommended actions to improve site conditions and rectification of non-compliance, and recommendations for future works which may impact the trees. <p>All compliance certification documents must be kept on site by the site Supervisor.</p> <p>As a minimum the following intervals of site inspections must be made:</p> <table border="1" data-bbox="316 1491 1422 2018"> <thead> <tr> <th data-bbox="316 1491 549 1615">Stage of arboricultural inspection and supervision</th> <th data-bbox="555 1491 1422 1525">Compliance documentation and photos must include</th> </tr> </thead> <tbody> <tr> <td data-bbox="316 1624 549 2018">While site work is carried out</td> <td data-bbox="555 1624 1422 2018"> <ul style="list-style-type: none"> The project arborist must supervise all demolition and excavation works within the Tree Protection Zones or specified distances of nominated trees listed in this consent. The project arborist must supervise the demolition of the existing boundary walls within the TPZ of trees A, B and C. The condition of exposed roots must be managed and documented. The project arborist must supervise the installation of the new boundary walls within the TPZ of trees A, B and C, documenting the condition of roots and soil. The project arborist must ensure pier holes within the Tree Protection Zones or specified distances of nominated trees listed in this consent are positioned to avoid the severance of and damage to roots greater than 50mm diameter. </td> </tr> </tbody> </table>	Stage of arboricultural inspection and supervision	Compliance documentation and photos must include	While site work is carried out	<ul style="list-style-type: none"> The project arborist must supervise all demolition and excavation works within the Tree Protection Zones or specified distances of nominated trees listed in this consent. The project arborist must supervise the demolition of the existing boundary walls within the TPZ of trees A, B and C. The condition of exposed roots must be managed and documented. The project arborist must supervise the installation of the new boundary walls within the TPZ of trees A, B and C, documenting the condition of roots and soil. The project arborist must ensure pier holes within the Tree Protection Zones or specified distances of nominated trees listed in this consent are positioned to avoid the severance of and damage to roots greater than 50mm diameter.
Stage of arboricultural inspection and supervision	Compliance documentation and photos must include				
While site work is carried out	<ul style="list-style-type: none"> The project arborist must supervise all demolition and excavation works within the Tree Protection Zones or specified distances of nominated trees listed in this consent. The project arborist must supervise the demolition of the existing boundary walls within the TPZ of trees A, B and C. The condition of exposed roots must be managed and documented. The project arborist must supervise the installation of the new boundary walls within the TPZ of trees A, B and C, documenting the condition of roots and soil. The project arborist must ensure pier holes within the Tree Protection Zones or specified distances of nominated trees listed in this consent are positioned to avoid the severance of and damage to roots greater than 50mm diameter. 				

	<table border="1" data-bbox="316 163 1422 418"> <tr> <td data-bbox="316 163 549 418"></td> <td data-bbox="549 163 1422 418"> <ul style="list-style-type: none"> The project arborist must inspect the installed irrigation system to plants in garden beds. The arborist must certify there is an appropriate distribution of water to planted and existing trees. Project Arborist to approve relocation of tree protection for landscaping. All landscaping works within the TPZ of trees to be retained are to be undertaken in consultation with the project Arborist to minimise the impact to trees. Regular inspections as indicated in the Tree Management Plan. </td> </tr> </table> <p data-bbox="316 454 1422 521">Inspections and compliance documentation must be made by an arborist with AQF Level 5 qualifications.</p> <p data-bbox="316 557 1422 624">Additional site visits must be made when required by site arborist and/or site foreman for ongoing monitoring/supervisory work.</p> <p data-bbox="316 660 1422 728">Condition Reason: To ensure that all tree protection measures and construction techniques relevant to this consent have been implemented.</p>		<ul style="list-style-type: none"> The project arborist must inspect the installed irrigation system to plants in garden beds. The arborist must certify there is an appropriate distribution of water to planted and existing trees. Project Arborist to approve relocation of tree protection for landscaping. All landscaping works within the TPZ of trees to be retained are to be undertaken in consultation with the project Arborist to minimise the impact to trees. Regular inspections as indicated in the Tree Management Plan. 																					
	<ul style="list-style-type: none"> The project arborist must inspect the installed irrigation system to plants in garden beds. The arborist must certify there is an appropriate distribution of water to planted and existing trees. Project Arborist to approve relocation of tree protection for landscaping. All landscaping works within the TPZ of trees to be retained are to be undertaken in consultation with the project Arborist to minimise the impact to trees. Regular inspections as indicated in the Tree Management Plan. 																							
<p data-bbox="180 770 279 804">F. 32.</p>	<p data-bbox="316 770 1123 804">Replacement/Supplementary trees which must be planted</p> <p data-bbox="316 840 1422 1072">While site work is being carried out, any replacement or supplementary tree must be grown in accordance with Tree stock for landscape use (AS 2303). The following replacement tree/s must be planted and maintained in a healthy and vigorous condition. If the replacement tree is found to be faulty, damaged, dying or dead before it attains a size whereby it becomes a prescribed tree in accordance with Chapter E.3 of Council's Development Control Plan, it must be replaced with another of the same species, which complies with the criteria outlined below.</p> <table border="1" data-bbox="316 1108 1441 1727"> <thead> <tr> <th data-bbox="316 1108 639 1227">Species/Type</th> <th data-bbox="639 1108 943 1227">Planting Location</th> <th data-bbox="943 1108 1193 1227">Container Size/Size of Tree (at planting)</th> <th data-bbox="1193 1108 1441 1227">Minimum Dimensions at Maturity (metres)</th> </tr> </thead> <tbody> <tr> <td data-bbox="316 1227 639 1294">3 x <i>Banksia integrifolia</i> (Coastal Banksia)</td> <td data-bbox="639 1227 943 1727" rowspan="6">In accordance with Landscape Plans DA-00/01, DA01/01, DA02/01, DA03/01, DA04/01, DA05/01, DA06/01, designed by Wyer & CO., dated 28/03/2024</td> <td data-bbox="943 1227 1193 1294">75 Litre each</td> <td data-bbox="1193 1227 1441 1294">7 x 4</td> </tr> <tr> <td data-bbox="316 1294 639 1384">8 x <i>Cupaniopsis anacardioides</i> (Tuckeroo)</td> <td data-bbox="943 1294 1193 1384">75 Litre each</td> <td data-bbox="1193 1294 1441 1384">8 x 8</td> </tr> <tr> <td data-bbox="316 1384 639 1473">5 x <i>Olea europea var. europea</i> (European Olive)</td> <td data-bbox="943 1384 1193 1473">Minimum 200 litre each</td> <td data-bbox="1193 1384 1441 1473">5 x 3 each</td> </tr> <tr> <td data-bbox="316 1473 639 1574">1 x <i>Waterhousia floribunda</i> (Weeping Lillypilly)</td> <td data-bbox="943 1473 1193 1574">75 litre</td> <td data-bbox="1193 1473 1441 1574">10 x 11</td> </tr> <tr> <td data-bbox="316 1574 639 1641">1 x <i>Howea forsteriana</i> (Kentia palm)</td> <td data-bbox="943 1574 1193 1641">Minimum 200 litre</td> <td data-bbox="1193 1574 1441 1641">7 x 3</td> </tr> <tr> <td data-bbox="316 1641 639 1727">13 x <i>Trachycarpus fortunei</i> (Chinese Windmill palm)</td> <td data-bbox="943 1641 1193 1727">Minimum 200 litre each</td> <td data-bbox="1193 1641 1441 1727">6 x 3 each</td> </tr> </tbody> </table> <p data-bbox="316 1762 1422 1796">The project arborist must document compliance with the above condition.</p> <p data-bbox="316 1832 1422 1899">Condition Reason: To ensure the provision of appropriate replacement planting. Standard Condition F.46 (Autotext 46F)</p>	Species/Type	Planting Location	Container Size/Size of Tree (at planting)	Minimum Dimensions at Maturity (metres)	3 x <i>Banksia integrifolia</i> (Coastal Banksia)	In accordance with Landscape Plans DA-00/01, DA01/01, DA02/01, DA03/01, DA04/01, DA05/01, DA06/01, designed by Wyer & CO., dated 28/03/2024	75 Litre each	7 x 4	8 x <i>Cupaniopsis anacardioides</i> (Tuckeroo)	75 Litre each	8 x 8	5 x <i>Olea europea var. europea</i> (European Olive)	Minimum 200 litre each	5 x 3 each	1 x <i>Waterhousia floribunda</i> (Weeping Lillypilly)	75 litre	10 x 11	1 x <i>Howea forsteriana</i> (Kentia palm)	Minimum 200 litre	7 x 3	13 x <i>Trachycarpus fortunei</i> (Chinese Windmill palm)	Minimum 200 litre each	6 x 3 each
Species/Type	Planting Location	Container Size/Size of Tree (at planting)	Minimum Dimensions at Maturity (metres)																					
3 x <i>Banksia integrifolia</i> (Coastal Banksia)	In accordance with Landscape Plans DA-00/01, DA01/01, DA02/01, DA03/01, DA04/01, DA05/01, DA06/01, designed by Wyer & CO., dated 28/03/2024	75 Litre each	7 x 4																					
8 x <i>Cupaniopsis anacardioides</i> (Tuckeroo)		75 Litre each	8 x 8																					
5 x <i>Olea europea var. europea</i> (European Olive)		Minimum 200 litre each	5 x 3 each																					
1 x <i>Waterhousia floribunda</i> (Weeping Lillypilly)		75 litre	10 x 11																					
1 x <i>Howea forsteriana</i> (Kentia palm)		Minimum 200 litre	7 x 3																					
13 x <i>Trachycarpus fortunei</i> (Chinese Windmill palm)		Minimum 200 litre each	6 x 3 each																					

F. 33.	Front fence in the vicinity of trees																																		
	<p>While site work is being carried out, the construction of the proposed front fence must ensure sufficient clearance of the trunk of Tree 1 <i>Angophora costata</i> (Sydney Pink Gum) located in the front garden of 6 Fisher Avenue, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024. The proposed front fence must maintain a minimum 150mm clearance of the trunk of Tree No. 1 <i>Angophora costata</i> (Sydney Pink Gum).</p> <p>The project arborist must document compliance with the above condition.</p>																																		
	<p>Condition Reason: To ensure the proposed footings would not adversely impact upon the health of existing trees.</p>																																		
F. 34.	Demolition works in the vicinity of trees																																		
	<p>While site work is being carried out, demolition works within the specified radius from the trunks of the following trees must be carried out under the direct supervision of the Project Arborist. The Project Arborist must have a minimum qualification AQF 5.</p>																																		
	<table border="1"> <thead> <tr> <th>Council Ref No</th> <th>Species</th> <th>Location</th> <th>Radius from centre of trunk (metres)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td><i>Angophora costata</i> (Sydney Pink Gum)</td> <td>Front garden of 6 Fisher Avenue, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024</td> <td>15</td> </tr> <tr> <td>2</td> <td><i>Howea forsteriana</i> (Kentia palm)</td> <td>Front garden of 6 Fisher Avenue, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024</td> <td>2</td> </tr> <tr> <td>12</td> <td><i>Phoenix canariensis</i> (Canary Island Date palm)</td> <td>Rear garden of 27 Vaucluse Road, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024</td> <td>3</td> </tr> <tr> <td>21</td> <td><i>Howea forsteriana</i> (Kentia palm)</td> <td>Front garden of 4 Fisher Avenue, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024</td> <td>2</td> </tr> <tr> <td>25</td> <td><i>Camellia sasanqua</i> (Camellia)</td> <td>Southern side boundary of front garden of 27 Vaucluse Road, Vaucluse</td> <td>2.7</td> </tr> <tr> <td>26</td> <td><i>Castanospermum australe</i> (Black Bean)</td> <td>Front garden of 27 Vaucluse Road, Vaucluse</td> <td>5.8</td> </tr> <tr> <td>27</td> <td><i>Ficus rubiginosa</i> (Port Jackson Fig)</td> <td>Front garden of 27 Vaucluse Road, Vaucluse</td> <td>10.8</td> </tr> </tbody> </table>	Council Ref No	Species	Location	Radius from centre of trunk (metres)	1	<i>Angophora costata</i> (Sydney Pink Gum)	Front garden of 6 Fisher Avenue, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	15	2	<i>Howea forsteriana</i> (Kentia palm)	Front garden of 6 Fisher Avenue, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	2	12	<i>Phoenix canariensis</i> (Canary Island Date palm)	Rear garden of 27 Vaucluse Road, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	3	21	<i>Howea forsteriana</i> (Kentia palm)	Front garden of 4 Fisher Avenue, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	2	25	<i>Camellia sasanqua</i> (Camellia)	Southern side boundary of front garden of 27 Vaucluse Road, Vaucluse	2.7	26	<i>Castanospermum australe</i> (Black Bean)	Front garden of 27 Vaucluse Road, Vaucluse	5.8	27	<i>Ficus rubiginosa</i> (Port Jackson Fig)	Front garden of 27 Vaucluse Road, Vaucluse	10.8		
Council Ref No	Species	Location	Radius from centre of trunk (metres)																																
1	<i>Angophora costata</i> (Sydney Pink Gum)	Front garden of 6 Fisher Avenue, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	15																																
2	<i>Howea forsteriana</i> (Kentia palm)	Front garden of 6 Fisher Avenue, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	2																																
12	<i>Phoenix canariensis</i> (Canary Island Date palm)	Rear garden of 27 Vaucluse Road, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	3																																
21	<i>Howea forsteriana</i> (Kentia palm)	Front garden of 4 Fisher Avenue, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	2																																
25	<i>Camellia sasanqua</i> (Camellia)	Southern side boundary of front garden of 27 Vaucluse Road, Vaucluse	2.7																																
26	<i>Castanospermum australe</i> (Black Bean)	Front garden of 27 Vaucluse Road, Vaucluse	5.8																																
27	<i>Ficus rubiginosa</i> (Port Jackson Fig)	Front garden of 27 Vaucluse Road, Vaucluse	10.8																																
	<p>The project arborist must document compliance with the above condition.</p>																																		
	<p>Condition Reason: To ensure that paving works would not adversely impact upon the health of existing trees.</p> <p>Standard Condition F.48 (Autotext 48F)</p>																																		

F. 35. Level changes in the vicinity of trees

While site work is being carried out, no level changes must occur within the specified radius from the trunks of the following trees, excluding approved structures.

Council Ref No	Species	Location	Radius from centre of trunk (metres)
1	<i>Angophora costata</i> (Sydney Pink Gum)	Front garden of 6 Fisher Avenue, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	15
2	<i>Howea forsteriana</i> (Kentia palm)	Front garden of 6 Fisher Avenue, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	2
12	<i>Phoenix canariensis</i> (Canary Island Date palm)	Rear garden of 27 Vaucluse Road, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	3
21	<i>Howea forsteriana</i> (Kentia palm)	Front garden of 4 Fisher Avenue, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	2
25	<i>Camellia sasanqua</i> (Camellia)	Southern side boundary of front garden of 27 Vaucluse Road, Vaucluse	2.7
26	<i>Castanospermum australe</i> (Black Bean)	Front garden of 27 Vaucluse Road, Vaucluse	5.8
27	<i>Ficus rubiginosa</i> (Port Jackson Fig)	Front garden of 27 Vaucluse Road, Vaucluse	10.8

The project arborist must document compliance with the above condition.

Condition Reason: To ensure level changes would not adversely impact upon the health of existing trees. Standard Condition F.49 (Autotext 49F)

F. 36. Hand excavation within tree root zones

While site work is being carried out, demolition of underground structures such as existing footings and approved excavation undertaken within the specified radius from the trunks of the following trees must be carried out by hand.

Council Ref No	Species	Location	Radius from centre of trunk (metres)
1	<i>Angophora costata</i> (Sydney Pink Gum)	Front garden of 6 Fisher Avenue, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	15
12	<i>Phoenix canariensis</i> (Canary Island Date palm)	Rear garden of 27 Vaucluse Road, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	3

Small hand tools such as mattocks or using compressed air or water jetting only must be used. Roots with a diameter equal to or in excess of 50mm must not be severed or damaged unless approved in writing and documented by the project arborist.

	<p>Mechanical excavation is permitted beyond this radius when root pruning by hand along the hand excavated perimeter line is completed. Exposed roots to be retained must be covered with mulch or a geotextile fabric and kept in a moist condition and prevented from drying out.</p> <p>All root pruning must be undertaken in accordance with the Australian Standard 4373 “Pruning of Amenity Trees” and carried out by a qualified Arborist (minimum qualification of Australian Qualification Framework Level 5 or recognised equivalent).</p> <p>The project arborist must document compliance with the above condition.</p> <p>Condition Reason: To ensure demolition and excavation works would not adversely impact upon the health of existing trees. Standard Condition F.50 (Autotext 50F)</p>								
<p>F. 37.</p>	<p>Footings in the vicinity of trees</p> <p>While site work is being carried out, footings for any structure within the specified radius from the trunks of the following trees must be supported using an isolated pier and beam system.</p> <table border="1" data-bbox="316 882 1441 1128"> <thead> <tr> <th>Council Ref No</th> <th>Species</th> <th>Location</th> <th>Radius from centre of trunk (metres)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td><i>Angophora costata</i> (Sydney Pink Gum)</td> <td>Front garden of 6 Fisher Avenue, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024</td> <td>15</td> </tr> </tbody> </table> <p>Excavations for the installation of piers must be located so that no tree root with a diameter equal to or in excess of 50mm is severed or damaged. The smallest possible area must be excavated which allows construction of the pier. In consultation with the project engineer the piers must be offset a minimum 100mm from any root equal to or in excess of 50mm to accommodate future growth. The beam is to be placed a minimum of 100mm above ground level and is to be designed to bridge all tree roots with a diameter equal to or in excess of 50mm.</p> <p>The project arborist must document compliance with the above condition.</p> <p>Condition Reason: To ensure the proposed footings would not adversely impact upon the health of existing trees. Standard Condition F.51 (Autotext 51F)</p>	Council Ref No	Species	Location	Radius from centre of trunk (metres)	1	<i>Angophora costata</i> (Sydney Pink Gum)	Front garden of 6 Fisher Avenue, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	15
Council Ref No	Species	Location	Radius from centre of trunk (metres)						
1	<i>Angophora costata</i> (Sydney Pink Gum)	Front garden of 6 Fisher Avenue, Vaucluse as plotted on the Wyer & CO. Landscape Plan No. DA01/01, dated 28/03/2024	15						

G. BEFORE THE ISSUE OF AN OCCUPATION CERTIFICATE

<p>G. 1.</p>	<p>Occupation Certificate (section 6.9 of the Act)</p> <p>A person must not commence occupation or use of the whole or any part of a new building (within the meaning of section 6.10 of the Act) unless an occupation certificate has been issued in relation to the building or part.</p> <p>Notes:</p> <ul style="list-style-type: none"> New building includes an altered portion of, or an extension to, an existing building. <p>Condition Reason: To ensure the building is suitable to occupy.</p>
---------------------	--

<p>G. 2.</p>	<p>Commissioning and Certification of Systems and Works</p> <p>Before the issue of any occupation certificate, works-as-executed (WAE) plans prepared by a registered surveyor, compliance certificates, and evidence of suitability in accordance with Part A5G1 of the BCA confirming that the works, as executed and as detailed, comply with the requirement of this consent, the Act, the Regulations, any relevant construction certificate, the BCA and relevant Australian Standards must be submitted to the satisfaction of the Principal Certifier.</p> <p>Works-as-executed plans, compliance certificates, and evidence of suitability in accordance with Part A5G1 of the BCA must include, but may not be limited to:</p> <ol style="list-style-type: none"> a) Certification from the supervising professional engineer that the requirement of the Geotechnical/Hydrogeological conditions and report recommendations were implemented and satisfied during development work. b) All flood protection measures. c) All garage/car park/basement car park, driveways and access ramps comply with Australian Standard AS 2890.1: Off-Street car parking. d) All stormwater drainage and storage systems. e) All mechanical ventilation systems. f) All hydraulic systems. g) All structural work. h) All acoustic attenuation work. i) All waterproofing. j) Such further matters as the Principal Certifier may require. <p>Notes:</p> <ul style="list-style-type: none"> • The PC may require any number of WAE plans, certificates, or other evidence of suitability as necessary to confirm compliance with the Act, Regulation, development standards, BCA, and relevant Australia Standards. As a minimum WAE plans and certification is required for stormwater drainage and detention, mechanical ventilation work, hydraulic services (including but not limited to fire services). • The PC must submit to Council, with any occupation certificate, copies of WAE plans, compliance certificates and evidence of suitability in accordance with Part A5G1 of the BCA upon which the PC has relied in issuing any occupation certificate. <p>Condition Reason: To ensure that systems and works as completed meet development standards as defined by the Act, comply with the BCA, and this consent, and to ensure a public record of works as executed is maintained.</p> <p>Condition Reason: To ensure that all tree protection measures and construction techniques relevant to this consent are implemented.</p>
<p>G. 3.</p>	<p>Dilapidation Report for Public Infrastructure Works</p> <p>Before the issue of an occupation certificate for the whole of the building, a follow up dilapidation report, prepared by a chartered professional engineer, on Council's infrastructure within and near the development site upon completion of the work must be submitted to Council.</p> <p>The dilapidation report must include:</p> <ol style="list-style-type: none"> a) closed circuit television/video inspection (in DVD format) of public stormwater drainage system fronting the site on Cranbrook Road, b) photographs showing any existing damage to the road pavement fronting the site, c) photographs showing any existing damage to the kerb and gutter fronting the site, d) photographs showing any existing damage to the footway including footpath pavement fronting the site,

	<p>e) photographs showing any existing damage to retaining walls within the footway or road, f) photographs showing any existing damage to street signs, heritage name plates, and historical items, and g) the full name and signature of the professional engineer.</p> <p>The reports are to be supplied in both paper copy and electronic format in PDF. Photographs are to be in colour, digital and date stamped.</p> <p>Before the issue of an occupation certificate for the whole building, written correspondence must be obtained from Council attesting to this condition being appropriately satisfied, and be provided to the Principal Certifier.</p> <p>Notes:</p> <ul style="list-style-type: none"> If the dilapidation report required by this condition is not provided and damage is occasioned to public assets adjoining the site Council will deduct from security any costs associated with remedying, repairing or replacing damaged public infrastructure. Nothing in this condition prevents Council making any claim against security held for this purpose. <p>Condition Reason: To ensure that any damage to public infrastructure is identified and rectified prior to the occupation of the whole building.</p>
<p>G. 4.</p>	<p>Positive Covenant and Works-As-Executed Certification of Stormwater Systems</p> <p>Before the issue of an occupation certificate for the whole of the building, and on the completion of construction work, stormwater drainage works are to be certified by a professional engineer with works-as-executed drawings supplied to the Principal Certifier detailing:</p> <p>a) Compliance with conditions of development consent relating to stormwater, b) The structural adequacy of the Onsite Stormwater Detention (OSD) System and Rainwater Tank. c) That the works have been constructed in accordance with the approved design and will provide the detention storage volume and attenuation in accordance with the submitted calculations, d) Pipe invert levels and surface levels to Australian Height Datum, and e) Contours indicating the direction in which water will flow over land should the capacity of the pit be exceeded in a storm event exceeding design limits.</p> <p>A positive covenant under section 88E of the Conveyancing Act 1919 must be created on the title of the subject property, providing for the on-going maintenance of the OSD System and Rainwater Tank incorporated in the development. The wording of the Instrument must be in accordance with Council's standard format and the Instrument must be registered with the NSW Land Registry Services. The person with the benefit of this consent must reimburse Council's reasonable expenses incurred in the drafting, negotiation and registration of the covenant</p> <p>Notes:</p> <ul style="list-style-type: none"> The required wording of the Instrument can be downloaded from Council's website www.woollahra.nsw.gov.au. The PC must supply a copy of the Works As Executed plans to Council together with the occupation certificate. The occupation certificate for the whole of the building must not be issued until this condition has been satisfied. <p>Condition Reason: To ensure the certification and ongoing maintenance of the stormwater system prior to the occupation of the whole building.</p>

<p>G. 5.</p>	<p>Positive Covenant for Mechanical Parking Installation & Work-As-Executed Certification of Mechanical Systems</p> <p>Before the issue of any occupation certificate for the whole of the building, mechanical parking installations are to be certified by a professional engineer with works-as-executed drawings supplied to the Principal Certifier detailing:</p> <ol style="list-style-type: none"> a) Compliance with conditions of development consent relating to mechanical parking installation including turntable, car lift, car stacker and traffic light system; b) That the works have been constructed in accordance with the approved design; c) A positive covenant pursuant to Section 88E of the Conveyancing Act 1919 must be created on the title of the subject property, providing for the indemnification of Council from any claims or actions and for the on-going maintenance of the turntable, car lift, car stacker and traffic signal system incorporated in the development. The wording of the Instrument must be in accordance with Council's standard format and the Instrument must be registered at the Land and Property Information NSW. <p>Notes:</p> <ul style="list-style-type: none"> • The PCA must supply a copy of the WAE Plans to Council together with the occupation certificate for the whole of the building. • The occupation certificate for the whole of the building must not be issued until this condition has been satisfied. <p>Condition Reason: To ensure the certification and ongoing maintenance of the mechanical parking installations and to indemnify Council from any claims or actions.</p>
<p>G. 6.</p>	<p>Removal of Ancillary Works and Structures</p> <p>Before the issue of any occupation certificate for the whole of the building, The following articles must be removed from the land and any adjoining public place:</p> <ol style="list-style-type: none"> a) the site sign, b) ablutions, c) hoarding, d) scaffolding, and e) waste materials, matter, article or thing. <p>Condition Reason: To ensure that all ancillary matter is removed prior to occupation.</p> <p>Condition Reason: To ensure that the swimming pool maintains public safety and to manage the amenity impacts of swimming pools.</p>
<p>G. 7.</p>	<p>Letter Box</p> <p>Before the issue of any occupation certificate, all letter boxes must be constructed and located in accordance with AS/NZS 4253: Mailboxes and to Australia Post's satisfaction.</p> <p>Notes:</p> <ul style="list-style-type: none"> • Council has been alerted to an increase in mailbox theft, and as such, all new development, being new dwelling houses and residential flat buildings, are encouraged to have lockable mail boxes. <p>Condition Reason: To ensure that mail can be delivered to occupiers of the site.</p>

<p>G. 8.</p>	<p>Swimming and Spa Pools – Permanent Child Resistant Barriers and other Matters</p> <p>Before the issue of any occupation certificate, and prior to filling any swimming pool, as defined by the Swimming Pools Act 1992:</p> <ol style="list-style-type: none"> Permanent child-resistant barriers must be installed in compliance with the Swimming Pools Act 1992 and the Building Code of Australia. The swimming pool must be registered in accordance with section 30B of the Swimming Pools Act 1992 on the NSW Government Swimming Pool Register. The Principal Contractor or Owner must either obtain a certificate of compliance issued under section 22D of the Swimming Pools Act 1992 or an appropriate occupation certificate authorising use of the swimming pool. Public pools must comply with the NSW Health Public Swimming Pool and Spa Pool Guidelines in force at that time and private pools are encouraged to comply with the same standards as applicable. Water recirculation and filtration systems must be installed in compliance with AS 1926.3: Swimming pool safety - Water recirculation systems. <p>Backwash must be discharged to the sewer in compliance with AS/NZS 3500.</p> <p>Water recirculation and filtration systems must be connected to the electricity supply by a timer that limits the systems operation such that it does not operate before 8 am or after 8 pm on any Sunday or public holiday, or before 7 am or after 8 pm on any other day.</p> <p>Notes:</p> <ul style="list-style-type: none"> NSW Health guidelines and fact sheets are available at www.health.nsw.gov.au <p>Condition Reason: To ensure that the swimming pool maintains public safety and to manage the amenity impacts of swimming pools.</p>
<p>G.. 9.</p>	<p>Swimming Pool Fencing</p> <p>Before the issue of any occupation certificate, swimming pool fencing is to be constructed in accordance with AS1926: Australian Standard Swimming Pool Safety Part 1 – Safety Barriers for Swimming Pools.</p> <p>Notes:</p> <ul style="list-style-type: none"> Pools commenced or completed after May 2013 must meet the BCA and AS1926. <p>Condition Reason: To ensure swimming pool safety.</p>
<p>G. 10.</p>	<p>Certification of Electric Vehicle Charging System</p> <p>Before the issue of any occupation certificate, certification by a suitably qualified person that the electric vehicle charger points and/or electric vehicle circuitry, has been installed in accordance with the construction certificate plans and specifications as required by Condition D.21 must be submitted to the satisfaction of the Principal Certifier.</p> <p>Condition Reason: To ensure the certification of the electric vehicle charging system.</p>

<p>G. 11.</p>	<p>Fulfilment of BASIX Commitments – Clause 44 of the Development Certification and Fire Safety Regulation</p> <p>Before the issue of any occupation certificate, all BASIX commitments must be effected in accordance with the BASIX certificate No. 1742448S.</p> <p>Notes:</p> <ul style="list-style-type: none"> • Clause 44 of the Development Certification and Fire Safety Regulation applies to an occupation certificate if a relevant BASIX certificate requires a certifier to monitor fulfilment of a commitment listed in the certificate in relation to a building. The certifier must not issue an occupation certificate for the building unless the commitment has been fulfilled. <p>Condition Reason: To ensure that sustainable building commitments, to reduce water and energy consumption, are fulfilled prior to the occupation.</p>				
<p>G. 12.</p>	<p>Landscaping</p> <p>Before the issue of any occupation certificate, the Principal Certifier and Council must be provided with a works-as-executed landscape plan and certification from a qualified landscape architect/designer, horticulturist and/or arborist as applicable to the effect that the landscaping and replacement/supplementary tree planting works comply with this consent.</p> <p>Condition Reason: To ensure that all landscaping work is completed prior to occupation.</p>				
<p>G. 13.</p>	<p>Arborists Documentation and Compliance Checklist – Prior to an occupation certificate for the whole building</p> <p>Before the issue of any occupation certificate for the whole of the building, the project arborist must provide written certification that all tree protection measures and construction techniques relevant to this consent have been implemented. Documentation for each site visit must include:</p> <ol style="list-style-type: none"> A record of the condition of trees to be retained prior to and throughout development. Recommended actions to improve site conditions and rectification of non-compliance. Recommendations for future works which may impact the trees. <p>All compliance certification documents must be kept on site.</p> <p>As a minimum the following intervals of site inspections must be made:</p> <table border="1" data-bbox="316 1626 1441 1939"> <thead> <tr> <th data-bbox="316 1626 660 1720">Stage of arboricultural inspection and supervision</th> <th data-bbox="667 1626 1441 1720">Compliance documentation and photos must include</th> </tr> </thead> <tbody> <tr> <td data-bbox="316 1729 660 1939">Before the issue of any occupation certificate for the whole of the building</td> <td data-bbox="667 1729 1441 1939"> <ul style="list-style-type: none"> • The project arborist must supervise the dismantling of tree protection measures • After all demolition, construction and landscaping works are complete the project Arborist must assess that the subject trees have been retained in the same condition and vigour. If changes to condition are identified the project Arborist must provide recommendations for remediation. </td> </tr> </tbody> </table> <p>Inspections and compliance documentation must be made by an arborist with AQF Level 5 qualifications.</p>	Stage of arboricultural inspection and supervision	Compliance documentation and photos must include	Before the issue of any occupation certificate for the whole of the building	<ul style="list-style-type: none"> • The project arborist must supervise the dismantling of tree protection measures • After all demolition, construction and landscaping works are complete the project Arborist must assess that the subject trees have been retained in the same condition and vigour. If changes to condition are identified the project Arborist must provide recommendations for remediation.
Stage of arboricultural inspection and supervision	Compliance documentation and photos must include				
Before the issue of any occupation certificate for the whole of the building	<ul style="list-style-type: none"> • The project arborist must supervise the dismantling of tree protection measures • After all demolition, construction and landscaping works are complete the project Arborist must assess that the subject trees have been retained in the same condition and vigour. If changes to condition are identified the project Arborist must provide recommendations for remediation. 				

	Additional site visits must be made when required by site arborist and/or site foreman for ongoing monitoring/supervisory work.
	Condition Reason: To ensure that all tree protection measures and construction techniques relevant to this consent are implemented.

H. OCCUPATION AND ONGOING USE

H. 1.	<p>Noise from Mechanical Plant and Equipment</p> <p>During the occupation and ongoing use, the noise level measured at any boundary of the site at any time while the mechanical plant and equipment is operating must not exceed the background noise level. Where noise sensitive receivers are located within the site, the noise level is measured from the nearest strata, stratum or community title land and must not exceed background noise level at any time.</p> <p>The background noise level is the underlying level present in the ambient noise, excluding the subject noise source, when extraneous noise is removed. For assessment purposes the background noise level is the LA90, 15 minute level measured by a sound level meter.</p> <p>Notes:</p> <ul style="list-style-type: none"> Words in this condition have the same meaning as in the Noise Policy for Industry (2017) www.epa.nsw.gov.au/your-environment/noise/industrial-noise/noise-policy-for-industry-(2017) and Noise Guide for Local Government (2013) www.epa.nsw.gov.au/your-environment/noise/regulating-noise/noise-guide-local-government <p>Condition Reason: To protect the amenity of the neighbourhood.</p>
H. 2.	<p>Swimming and Spa Pools – Maintenance</p> <p>During the occupation and ongoing use, swimming and spa pools must be maintained:</p> <ol style="list-style-type: none"> in compliance with the Swimming Pools Act 1992 and the Building Code of Australia with regard to the provision of child-resistant barriers and resuscitation signs, in compliance with the NSW Health “Public Swimming Pools and Spa Pools Advisory Document” in force at that time. Private pools are encouraged to comply with the same standards as applicable, in compliance with AS 1926 Swimming pool safety - Water recirculation and filtration systems, with backwash being discharged to the sewer in compliance with AS/NZS 3500, and with a timer that limits the recirculation and filtration systems operation such that it does not emit noise that can be heard within a habitable room in any other residential premises (regardless of whether any door or window to that room is open): <ul style="list-style-type: none"> before 8 am or after 8 pm on any Sunday or public holiday, or before 7 am or after 8 pm on any other day. <p>Notes:</p> <ul style="list-style-type: none"> Child-resistant barriers, resuscitation signs, recirculation and filtration systems and controls systems require regular maintenance to ensure that life safety, health and amenity standards are maintained. The NSW Health public swimming pools and spa pools guidelines are available at www.health.nsw.gov.au

	Condition Reason: To ensure public health and safety.
H. 3.	Outdoor Lighting – Residential
	During the occupation and ongoing use, outdoor lighting must comply with AS/NZS 4282: Control of the obtrusive effects of outdoor lighting. The maximum luminous intensity from each luminare and threshold limits must not exceed the level 1 control relevant under tables in AS/NZS 4282.
	Condition Reason: To protect the amenity of neighbours and limit the obtrusive effects of outdoor lighting.
H. 4.	Noise Control
	During the occupation and ongoing use, the use of the premises must not give rise to the transmission of offensive noise to any place of different occupancy. Offensive noise is defined in the Protection of the Environment Operations Act 1997.
	<p>Notes:</p> <ul style="list-style-type: none"> • Council will generally enforce this condition in accordance with the Noise Guide for Local Government (www.epa.nsw.gov.au/your-environment/noise/regulating-noise/noise-guide-local-government) and the NSW Industrial Noise Policy (www.epa.nsw.gov.au/your-environment/noise/industrial-noise) published by the NSW Environment Protection Authority. Other State Government authorities also regulate the Protection of the Environment Operations Act 1997. • Useful links: <ul style="list-style-type: none"> - Community Justice Centres—free mediation service provided by the NSW Government www.cjc.nsw.gov.au. - NSW Environment Protection Authority— see “noise” section www.environment.nsw.gov.au/noise. - NSW Government legislation- access to all NSW legislation, including the Protection of the Environment Operations Act 1997 and the Protection of the Environment Noise Control Regulation 2017 is available at www.legislation.nsw.gov.au. - Australian Acoustical Society—professional society of noise related professionals www.acoustics.asn.au. - Association of Australian Acoustical Consultants—professional society of noise related professionals www.aaac.org.au. - Liquor and Gaming NSW—www.liquorandgaming.nsw.gov.au.
	Condition Reason: To protect the amenity of the neighbourhood.
H. 5.	Maintenance of Landscaping
	During the occupation and ongoing use, all landscaping must be maintained in general accordance with this consent.
	This condition does not prohibit the planting of additional trees or shrubs subject that they are native species endemic to the immediate locality.
	<p>Notes:</p> <ul style="list-style-type: none"> • This condition also acknowledges that development consent is not required to plant vegetation and that over time additional vegetation may be planted to replace vegetation or enhance the amenity of the locality. • Owners must have regard to the amenity impact of trees upon the site and neighbouring land.
	Condition Reason: To ensure that the landscaping design intent is not eroded over time by the removal of landscaping or inappropriate exotic planting.

<p>H. 6.</p>	<p>Maintenance of BASIX Commitments</p> <p>During the occupation and ongoing use, all BASIX commitments must be maintained in accordance with the BASIX Certificate No 1742448S.</p> <p>This condition affects successors in title with the intent that environmental sustainability measures must be maintained for the life of development under this consent.</p> <p>Condition Reason: To ensure the approved environmental sustainability measures are maintained for the life of development.</p>
<p>H. 7.</p>	<p>Ongoing Maintenance of the On-site Stormwater Detention System and Rainwater Tank</p> <p>During the occupation and ongoing use, in accordance with this condition and any positive covenant, the person with the benefit of this consent must:</p> <ol style="list-style-type: none"> a) Permit stormwater to be temporarily detained by the System. b) Keep the system clean and free of silt rubbish and debris, c) Maintain renew and repair as reasonably required from time to time the whole or part of the system so that it functions in a safe and efficient manner. d) Carry out the matters referred to in paragraphs (b) and (c) at the Owners expense. e) Not make any alterations to the system or elements thereof without prior consent in writing of the Council and not interfere with the system or by its act or omission cause it to be interfered with so that it does not function or operate properly. f) Permit the Council or its authorised agents from time to time upon giving reasonable notice (but at any time and without notice in the case of an emergency) to enter and inspect the land with regard to compliance with the requirements of this covenant. g) Comply with the terms of any written notice issued by Council in respect to the requirements of this clause within the time stated in the notice. h) Where the Owner fails to comply with the Owner’s obligations under this covenant, permit the Council or its agents at all times and on reasonable notice at the Owner’s cost to enter the land with equipment, machinery or otherwise to carry out the works required by those obligations. <p>The owner:</p> <ol style="list-style-type: none"> a) Indemnifies the Council from and against all claims, demands, suits, proceedings or actions in respect of any injury, damage, loss, cost, or liability (Claims) that may be sustained, suffered, or made against the Council arising in connection with the performance of the Owner’s obligations under this covenant except if, and to the extent that, the Claim arises because of the Council’s negligence or default; and b) releases the Council from any Claim it may have against the Council arising in connection with the performance of the Owner’s obligations under this covenant except if, and to the extent that, the Claim arises because of the Council’s negligence or default. <p>Notes:</p> <ul style="list-style-type: none"> • This condition is supplementary to the owner(s) obligations and Council’s rights under any positive covenant. <p>Condition Reason: To ensure that owners are aware of maintenance requirements for their stormwater systems.</p>

H. 8.	On-going Maintenance of the Mechanical Parking Installations During the occupation and ongoing use, the Owner must ensure the ongoing maintenance of the mechanical parking installations in accordance with this condition and any positive covenant. The Owner must: a) keep the system clean and free of silt rubbish and debris; b) maintain renew and repair as reasonably required from time to time the whole of the system so that it functions in a safe and efficient manner; c) carry out the matters referred to in paragraphs (a) and (b) at the Owners expense; d) not make any alterations to the system or elements thereof without prior consent in writing of the Council and not interfere with the system or by its act or omission cause it to be interfered with so that it does not function or operate properly; e) permit the Council or its authorised agents from time to time upon giving reasonable notice (but at any time and without notice in the case of an emergency) to enter and inspect the land with regard to compliance with the requirements of this covenant; f) comply with the terms of any written notice issued by Council in respect to the requirements of this clause within the time stated in the notice; and g) where the Owner fails to comply with the Owner's obligations under this covenant, permit the Council or its agents at all times and on reasonable notice at the Owner's cost to enter the land with equipment, machinery or otherwise to carry out the works required by those obligations. The Owner a) indemnifies the Council from and against all claims, demands, suits, proceedings or actions in respect of any injury, damage, loss, cost, or liability (Claims) that may be sustained, suffered, or made against the Council arising in connection with the performance of the Owner's obligations under this covenant; and b) releases the Council from any Claim it may have against the Council arising in connection with the performance of the Owner's obligations under this covenant. Notes: • This condition is supplementary to the owner(s) obligations and Council's rights under any positive covenant. Condition Reason: To ensure the ongoing maintenance of the mechanical parking installations.
--------------	--

There being no further business the meeting concluded at 3.20pm.

We certify that the pages numbered 1 to 70 inclusive are the Minutes of the Application Assessment Panel Meeting held on 12 November 2024 and confirmed by the Application Assessment Panel on 26 November 2024 as correct.

Chairperson

Secretary of Committee